

2020 | Product Data



UNILOCK[®]
PAVERS & WALLS

Unilock Quality Products

Unilock makes your landscape dreams come true with the highest quality pavers and walls in the industry. We offer five categories of products that are designed to offer you beauty, longevity and low maintenance. Whatever Unilock product you choose, we stand behind it 100%.

Unilock Technologies

Reala™

Utilizing REALA technology, a multitude of natural stone surfaces, brick and historic cobblestones are cast to create a wide variety of authentic textures with consistent dimensions that are more cost efficient to install.

Ultima™

Only Unilock has the technology in North America to manufacture Ultima Concrete resulting in pavers up to four times the stronger than poured concrete. With Ultima, the look you purchase is the look that will last.


ColorFusion™

The look of natural granite is achieved when color and granite particles are randomly dispersed using proprietary ColorFusion technology to achieve a unique mottled surface.




Nothing protects pavers from stains like EasyClean.

- ✓ Pavers are pre-sealed at the factory
- ✓ Enhanced resistance to weathering
- ✓ Reduced dirt absorption
- ✓ Stains from leaves, coffee, ketchup, mustard, wine and BBQ oils are easier to remove



CLASSIC

- > Budget-friendly shapes and styles
- > Unaffected by frost, resistant to de-icing salts and slip-resistant
- > Traditional product mix of large and small aggregates consistent from top to bottom



ENDURACOLOR™

- > Two-step manufacturing process: Coarser base aggregates combined with color and wear-resistant surface aggregates
- > Unaffected by frost, resistant to de-icing salts, slip-resistant and chlorine pool water resistant



ELEGANCE™

- > Deep, rich colors unique Reala™ textures
- > Ultima™ Concrete provides up to 4x the strength of poured-in-place concrete
- > Unaffected by frost, resistant to de-icing salts, slip-resistant and chlorine pool water resistant



STONEMARK™


- > Highly detailed surface texture created with Reala Technology
- > Surface texture and color resembling natural stone but with the durability of a manufactured paver or wall product



PERMEABLE


- > Installed on an aggregate base with extra wide joints to reduce rainwater flow
- > Extensive collection to choose from, just look for the permeable symbol

Table of Contents



PAVERS

Arcana	4
Artline™	5
Avante Ashlar™	6
Beacon Hill™ Flagstone	7
Beacon Hill Smooth	8
Boulevard	9
Bristol Valley®	10
Brussels Block®	11
Camelot™	12
Camelot™ - Tumbled	13
Copthorne®	14
Courtstone®	15
Eco-Optiloc™	16
Eco-Priora™	17
Eco-Promenade®	18
Granito™	19
Hex™ Paver	20
Hollandstone™	21
Holland Premier™	22
Il Campo®	23
Mattoni™	24
Natural Stone	25
Optiloc	30
Porcelain	31
Promenade™ Plank Paver	34
Richcliff®	36
Rivenstone™	37
Series™ 60mm	38
Series™ 70mm	39
Skyline™	40
Stonehenge®	41
Thornbury™	42
Town Hall®	43
Treo™ Premier	44
Tribeca Cobble™	45
Turfstone™	46
Umbriano® 60mm	47
Umbriano 70mm	48
Umbriano 80mm	50
Westport™	51



RETAINING WALLS

Brussels Dimensional System™	52
DuraHold®	53
DuraHold®2	55
Estate Wall®	56
Lineo™ Dimensional Stone	58
Pisa2® & Pisa2 XL	59
Rivercrest® Wall	60
RomanPisa™	62
RomanStack™	63
SienaStone®	64
Split'NStack™	65
U-Cara®	66

COPING, STEPS, PILLAR CAPS

Brussels Fullnose™ & Double Fullnose	71
Ledgestone™ Coping, Caps & Steps	72
Sienastone™ Coping	74
Universal™ Coping & Base	75



FIRE FEATURES

Sunset Round & Square	76
Rivercrest®	77



ACCESSORIES

Cleaners, Sealers & Sand	82
Edge Restraints	86
Landscape Base, Fabrics & Grids	87
Tools & Accessories	88



Laying Patterns	78
Unilock Elements	80
Calculations	92
Important Notes	94
Finishes / Color Blends	95
Product Directory	96



Our Quality Commitment

Unilock was the first concrete paver manufacturer in North America to offer a Lifetime Guarantee, and since then we have continued to stand behind it to ensure customers are completely satisfied with our products. With almost 2 billion stones in the ground, that's quite the commitment!

Our products are better and stronger than other brands. In fact, our internal standards of manufacturing in the USA and Canada far exceed industry standards set by ASTM (American Society for Testing and Materials) and CSA (Canadian Standards Association) and other European organizations.



LIFETIME GUARANTEE - RESIDENTIAL

Our Transferable Lifetime Guarantee warranties the structural integrity of Unilock concrete paving stones and retaining wall units when used in residential applications. It covers any structural failure or deterioration of the concrete unit resulting from normal use or from the reasonable application of sodium chloride (common rock salt used for deicing). StoneMark™ products have the same warranties as Unilock paving stones and retaining walls, but cannot be warrantied against damage resulting from de-icing products. Any materials installed and maintained to our guidelines, and subject to normal wear, that prove defective, will be replaced without cost.

Proof of purchase is required. Customers are encouraged to submit receipts to us as soon as their project is complete, using the Unilock Warranty Registration Form on our website (Unilock.com).

Purchasers need to ensure that the product they purchase is appropriate for their intended application; for example, only certain thicknesses of products are appropriate for driveways. Color matching of the replacement product and/or lost time cannot be guaranteed and labor costs related to installing replacement product is not included. Unilock reserves the right to seek a professional diagnosis and opinion to determine the exact cause of the product failure. If the failure falls within our warranty parameters, Unilock will replace the defective product.

EXCLUSIONS – Unfortunately, some things are beyond the control of Unilock, and are therefore not covered by this warranty. These include: naturally occurring efflorescence, hazing from polymeric jointing sand, scratching and chipping resulting from snow removal or construction equipment, damage caused by natural or un-natural disasters, or negligence by anyone other than Unilock. The Unilock warranty also does not cover deterioration or damage as a result of poor design or poor installation practices that are contrary to specifications as laid out by ICPI (Interlocking Concrete Pavement Institute) and the NCMA (National Concrete Masonry Association). For more information please visit www.icpi.org and www.ncma.org. Additionally, please refer to the Maintenance, Color and Installation Advisories.

MAINTENANCE ADVISORY

1. Cleaning and Sealing

As with anything that is outdoors, Unilock products are subject to harsh weather, dust, acid rain, leaf stains, water stains and general wear from foot or vehicular traffic. Therefore, periodic cleaning using environmentally safe detergents designed for cleaning concrete is recommended to maintain a bright, fresh appearance.

To make subsequent cleaning easier and more effective, a concrete sealer can be applied to new or cleaned products to help prevent the penetration of substances that can cause stains.

There are many types of concrete cleaners and sealers on the market. Always read the instructions carefully before using the product to make sure that it will function as expected. Testing first, in a small unobtrusive area, is always a good idea to ensure the results are acceptable. Consult your local hardscape dealer to find the products best suited for your paver or wall installation.

2. Winter Maintenance

Snow removal by way of metal blades on plows or shovels will scratch and chip the surface of pavers, causing permanent damage. To mitigate this risk, metal snow clearing blades must always have a polyurethane or rubber cutting edge attached when plowing pavers.

De-icing Salts – The use of de-icing products on paver surfaces is important for safety and to help mitigate snow accumulation. Most de-icing products

will have some effect on concrete, even if the product label indicates that it is safe on concrete. If you must use a de-icing product, we recommend that you use Sodium Chloride (ordinary rock salt) or Calcium Chloride (for colder climates). Always apply sparingly. The use of de-icing products on StoneMark, wet-cast pavers, slabs or coping may damage the product and therefore is not recommended. Whenever possible use a coarse sand as an anti-slip measure instead of de-icing chemicals.

COLOR ADVISORY

1. Selection

Due to the inherently variable nature of printed materials and digital monitors, Unilock cannot guarantee that products will match the color of printed or online images. Therefore, when making final product selections, decisions should be made based on actual stones which are readily available from Unilock, Authorized Contractors or Authorized Dealers. Most Unilock products are not comprised of a single color, but rather contain blended colors for a more natural appearance. This means that there will be significant color variance from stone to stone, so purchasers should view multiple units together to get a more accurate impression of the overall color. *Note:* Unilock Natural Stone variations are outside the control of Unilock. Purchasers of natural stone must be willing to accept this inherent variability.

2. Pre-installation checking

Always check the label to ensure that the Unilock product delivered to your project is the product and color ordered. If there is

a discrepancy, or if the product inside the packaging doesn't appear to be correct, contact your hardscape dealer before installing any pavers or wall units. If the product is installed, it indicates your acceptance of the products as delivered.

3. Blending

If the project requires more than one bundle of product it's always a good idea to draw product from several bundles when installing, as this ensures that any variation between bundles will be seamlessly integrated in the project. When bundles are from different production runs, random selection from multiple bundles is even more important.

4. Efflorescence

Efflorescence is a naturally occurring process that may appear as a white or light grey powder on the surface of concrete, clay or natural stone. It is temporary, and will disappear over time. However, if it is bothersome, an efflorescence cleaner can be used to remove it. There is no way to predict or prevent efflorescence. Because it does not compromise the structural integrity of the product, it is not covered by Unilock product warranties.

INSTALLATION ADVISORY

1. Construction Residue

While a certain amount of dirt on pavers and walls is inevitable during the construction phase, installers are strongly encouraged to clean as they go as construction residue can embed in the surface and become difficult to remove. The slurry produced during wet-saw cutting is particularly stubborn to clean


if allowed to dry on the surface of pavers. Unilock warranties do not cover stains caused by a failure to remove construction residue.

2. Polymeric Haze

Surface hazing caused by polymeric jointing sand is not the responsibility of Unilock. Polymeric jointing sand should only be installed by an experienced and knowledgeable contractor. Any sand that is left on the surface prior to activation will result in a haze that is very difficult and time-consuming to remove. Only the highest quality, brand name polymeric sand that is guaranteed by the manufacturer should be used.

3. Compaction Damage

Both smooth and textured paver surfaces can be scratched by compaction equipment used to 'flatten' a new paver installation. Therefore, metal plate compactors must be fitted with a polyethylene mat to protect the paver surface from becoming scratched, or a superior option is to use a rubber-roller compactor instead. Damage to product surfaces caused by failure to follow these instructions is not covered by Unilock product warranties.



Visit Unilock.com to register for your Transferable Lifetime Guarantee.



CORVARA




LUGANO



MODENA



VIVANTO



X & T Slab Spacers
Bagged Separately
(see page 87)

	12" X 24"	18" X 24"	24" X 24"
Bundle Type	SINGLE	SINGLE	SINGLE
Thickness (mm)	50MM	50MM	50MM
Dimension mm	301mm x 606mm x 50mm	453mm x 606mm x 50mm	606mm x 606mm x 50mm
Dimension Imperial	11 7/8" x 23 7/8" x 2"	17 7/8" x 23 7/8" x 2"	23 7/8" x 23 7/8" x 2"



23 7/8 x 23 7/8 x 2"
606 x 606 x 50mm



11 7/8 x 23 7/8 x 2"
301 x 606 x 50mm



17 7/8 x 23 7/8 x 2"
453 x 606 x 50mm

SQFT PER	Bundle	36.00	54.00	72.00
	Layer	4.00000	6.00000	8.00000
	Section	-	-	-
	Stone	2.00	3.00	4.00

PER BUNDLE	Layers	9.00	9.00	9.00
	Sections	-	-	-

SOLDIER LNFT PER	SqFt	0.49	0.50	0.50
	Section	-	-	-
	Layer	1.98	2.97	3.98
	Bundle	17.78	26.75	35.79

SAILOR LNFT PER	SqFt	0.99	0.66	0.50
	Section	-	-	-
	Layer	3.98	3.98	3.98
	Bundle	35.79	35.79	35.79

UNITS PER	SqFt	0.50	0.33	0.25
	Section	-	-	-
	Bundle	18.00	18.00	18.00

LBS PER	Layer	96	144	192
	Section	-	-	-
	Bundle	864	1,296	1,728

ADVANTAGES

EASYCLEAN™

Factory sealed to provide integral surface protection from stains

PEDESTRIAN FRIENDLY

Not recommended for vehicular use

Notes: Sold in full bundles only and is produced and sold on a required and refundable skid. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. **Product is not intended for vehicular applications.** Please refer to the Polymeric Sand Best Practices on page 86 and Important Notes on page 94. All measurements are nominal. Unilock recommends to install Arcana using T and X Slab spacers - see page 87. Please contact your sales manager for more information.

Internal Use Only. ARC CH



BIRCH



FOSSIL **NEW**



GRANITE FUSION **NEW**



GRANITE FUSION **NEW**
IL CAMPO FINISH

		7 UNIT
Bundle Type		RANDOM
Thickness (mm)		70MM
Dimension mm		
Dimension Imperial		

SQFT PER	Bundle	93.25
	Layer	11.66000
	Section	-
	Stone	0.49

PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

UNITS PER	SqFt	2.06
	Section	-
	Bundle	192.00

LBS PER	Layer	364
	Section	-
	Bundle	2,911

7 UNIT RANDOM BUNDLE

 6¾" x 4⅞" x 2¾" 169 x 125 x 70mm	 10⅜" x 4⅞" x 2¾" 263 x 125 x 70mm	 13⅝" x 4⅞" x 2¾" 338 x 125 x 70mm	 17¼" x 4⅞" x 2¾" 45 x 125 x 70mm
 8⅞" x 7½" x 2¾" 225 x 188 x 70mm	 13⅝" x 7½" x 2¾" 338 x 188 x 70mm	 17¼" x 7½" x 2¾" 45 x 188 x 70mm	

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Product sold in full bundles only and is produced and sold on a required, refundable skid. **Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. ART OH



RIVER BLEND



SIERRA

		4 UNIT
Bundle Type		RANDOM
Thickness (mm)		70MM
Dimension mm		
Dimension Imperial		

SQFT PER	Bundle	90.74
	Layer	11.34000
	Section	-
	Stone	1.42

PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-


UNITS PER	SqFt	0.71
	Section	-
	Bundle	64.00

LBS PER	Layer	360
	Section	-
	Bundle	2,883

4 UNIT RANDOM BUNDLE



UNIT A
11½ x 19 x 2¾"
291 x 485 x 70mm



UNIT B
11½ x 19 x 2¾"
291 x 485 x 70mm



UNIT C
11½ x 19 x 2¾"
291 x 485 x 70mm



UNIT D
11½ x 19 x 2¾"
291 x 485 x 70mm

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Product sold in full bundles only and is produced and sold on a required, refundable skid. [Read the Polymeric Sand advisory on Page 86.](#) **Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. AVT OH



BIRCH



GRANITE FUSION **NEW**



RIVER BLEND



SIERRA



SLATE BLUE



WALNUT

		3 UNIT
Bundle Type		RANDOM
Thickness (mm)		60MM
Dimension mm		
Dimension Imperial		

SQFT PER	Bundle	94.14
	Layer	10.46000
	Section	-
	Stone	1.31

PER BUNDLE	Layers	9.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	0.85
	Section	-
	Layer	8.86
	Bundle	79.72

UNITS PER	SqFt	0.76
	Section	-
	Bundle	72.00

LBS PER	Layer	290
	Section	-
	Bundle	2,606

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
21¼" x 14⅛" x 2⅜"
540 x 360 x 60mm



SQUARE
14⅛" x 14⅛" x 2⅜"
360 x 360 x 60mm



SMALL RECTANGLE
7⅛" x 14⅛" x 2⅜"
180 x 360 x 60mm

ADVANTAGES

PEDESTRIAN FRIENDLY

Not recommended for vehicular use

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. This product is not intended for vehicular applications. **Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BHF OH



BAVARIAN **NEW**

FOSSIL

GRANITE FUSION **NEW**

OPAL **NEW**

SIERRA

	3 UNIT	XL
Bundle Type	RANDOM	SINGLE
Thickness (mm)	60MM	60MM
Dimension mm	540mm x 900mm x 60mm	
Dimension Imperial	21 1/4" x 35 1/2" x 2 3/8"	

SQFT PER	Bundle	94.14	94.14
	Layer	10.46000	10.46000
	Section	-	-
	Stone	1.31	5.23

PER BUNDLE	Layers	9.00	9.00
	Sections	-	-

SOLDIER LNFT PER	SqFt	-	0.34
	Section	-	-
	Layer	-	3.54
	Bundle	-	31.89

SAILOR LNFT PER	SqFt	0.85	0.56
	Section	-	-
	Layer	8.86	5.91
	Bundle	79.72	53.15

UNITS PER	SqFt	0.76	0.19
	Section	-	-
	Bundle	72.00	18.00

LBS PER	Layer	290	293
	Section	-	-
	Bundle	2,606	2,636

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
21 1/4" x 14 1/8" x 2 3/8"
540 x 360 x 60mm




SQUARE
14 1/8" x 14 1/8" x 2 3/8"
360 x 360 x 60mm



SMALL RECTANGLE
7 1/16" x 14 1/8" x 2 3/8"
180 x 360 x 60mm

XL UNIT SOLD SEPARATELY



XL UNIT
21 1/4" x 35 x 2 3/8"
540 x 900 x 60mm

ADVANTAGES

PEDESTRIAN FRIENDLY

Not recommended for vehicular use

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. This product is not intended for vehicular applications. **Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BHS OH



GRANITE FUSION **NEW** RIVER

SIERRA

		3 UNIT
Bundle Type		RANDOM
Thickness (mm)		70MM
Dimension mm		
Dimension Imperial		

SQFT PER	Bundle	93.00
	Layer	11.63000
	Section	-
	Stone	1.45

PER BUNDLE	Layers	8.00
	Sections	-


SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	1.03
	Section	-
	Layer	12.00
	Bundle	96.04


UNITS PER	SqFt	0.69
	Section	-
	Bundle	64.00

LBS PER	Layer	372
	Section	-
	Bundle	2,978


3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
24 x 12 x 2¾"
610 x 305 x 70mm



MEDIUM RECTANGLE
18 x 12 x 2¾"
457 x 305 x 70mm



SQUARE
12 x 12 x 2¾"
305 x 305 x 70mm

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. **Important:** A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BLV OH



BAVARIAN BLEND



COPPER RIDGE



STEEL MOUNTAIN

		3 UNIT
	Bundle Type	RANDOM
	Thickness (mm)	60MM
	Dimension mm	
	Dimension Imperial	

SQFT PER	Bundle	104.60
	Layer	10.46000
	Section	-
	Stone	1.31

PER BUNDLE	Layers	10.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	0.85
	Section	-
	Layer	8.86
	Bundle	88.58

UNITS PER	SqFt	0.76
	Section	-
	Bundle	80.00

LBS PER	Layer	293
	Section	-
	Bundle	2,929

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
21¼" x 14⅛" x 2⅜"
540 x 360 x 60mm



SQUARE
14⅛" x 14⅛" x 2⅜"
360 x 360 x 60mm



SMALL RECTANGLE
7⅛" x 14⅛" x 2⅜"
180 x 360 x 60mm

ADVANTAGES

EASYSKID™

Factory sealed to provide integral surface protection from stains

PEDESTRIAN FRIENDLY

Not recommended for vehicular use

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. This product is not intended for vehicular applications. **Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BRV CH



COFFEE CREEK



LIMESTONE



SANDSTONE



SIERRA

	HALF CLASSIC/ANTIQUED	STD CLASSIC/ANTIQUED	XL CLASSIC/ANTIQUED
Bundle Type	SINGLE	SINGLE	SINGLE
Thickness (mm)	70MM	70MM	70MM
Dimension mm	104mm x 173mm x 70mm	173mm x 208mm x 70mm	208mm x 348mm x 70mm
Dimension Imperial	4" x 6 7/8" x 2 3/4"	6 7/8" x 8 1/4" x 2 3/4"	8 1/4" x 13 3/4" x 2 3/4"

SQFT PER	Bundle	88.70	88.60	76.56
	Layer	11.09000	11.08000	9.57000
	Section	12.67	12.66	25.52
	Stone	0.20	0.40	0.80

PER BUNDLE	Layers	8.00	8.00	8.00
	Sections	7.00	7.00	3.00

SOLDIER LNFT PER	SqFt	1.72	1.44	0.86
	Section	21.84	18.27	21.84
	Layer	19.11	15.98	8.19
	Bundle	152.86	127.87	65.51

SAILOR LNFT PER	SqFt	2.87	1.73	1.43
	Section	36.33	21.84	36.54
	Layer	31.78	19.11	13.70
	Bundle	254.28	152.86	109.61

UNITS PER	SqFt	5.05	2.53	1.25
	Section	64.00	32.00	32.00
	Bundle	448.00	224.00	96.00

LBS PER	Layer	344	344	316
	Section	393	393	843
	Bundle	2,752	2,749	2,528



HALF STONE
4 1/8" x 6 7/8" x 2 3/4"
104 x 173 x 70mm



STANDARD STONE
6 7/8" x 8 1/4" x 2 3/4"
173 x 208 x 70mm



XL STONE
8 1/4" x 13 3/4" x 2 3/4"
208 x 348 x 70mm

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads

Notes: XL unit can also be used as a coping or step tread. Please see page 71 for Brussels Fullnose packaging information. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BBK OH



COFFEE CREEK



GRANITE



RIVER



SIERRA

	SQUARE	RECTANGLE
Bundle Type	SINGLE	SINGLE
Thickness (mm)	60MM	60MM
Dimension mm	159.8MM X 159.8MM X 60MM	160MM X 240MM X 60MM
Dimension Imperial	6 3/8" X 6 3/8" X 2 3/8"	6 3/8" X 9 1/2" X 2 3/8"



RECTANGLE
6 x 9 x 2 3/8"
150 x 225 x 60mm



SQUARE
6 x 6 x 2 3/8"
150 x 150 x 60mm

SQFT PER	Bundle	92.40	98.96
	Layer	11.55000	12.37000
	Section	13.20	19.79
	Stone	0.28	0.41

PER BUNDLE	Layers	8.00	8.00
	Sections	7.00	5.00

SOLDIER LNFT PER	SqFt	1.79	1.19
	Section	23.62	23.62
	Layer	20.67	14.76
	Bundle	165.35	118.11

SAILOR LNFT PER	SqFt	1.79	1.79
	Section	23.62	35.43
	Layer	20.67	22.15
	Bundle	165.35	177.17

UNITS PER	SqFt	3.64	2.43
	Section	48.00	48.00
	Bundle	336.00	240.00

LBS PER	Layer	325	350
	Section	371	560
	Bundle	2,598	2,800

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads

Notes: 3 1/8" (80mm) units available by special order only. Minimum quantities apply. **Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. CAM OH



RIVER

SIERRA

	SQUARE TUMBLED	RECTANGLE TUMBLED
Bundle Type	SINGLE	SINGLE
Thickness (mm)	60MM	60MM
Dimension mm	159.8MM X 159.8MM X 60MM	160MM X 240MM X 60MM
Dimension Imperial	6 3/8" X 6 3/8" X 2 3/8"	6 3/8" X 9 1/2" X 2 3/8"

SQFT PER	Bundle	92.40	98.96
	Layer	11.55000	12.37000
	Section	13.20	19.79
	Stone	0.28	0.41

PER BUNDLE	Layers	8.00	8.00
	Sections	7.00	5.00

SOLDIER LNFT PER	SqFt	1.79	1.19
	Section	23.62	23.62
	Layer	20.67	14.76
	Bundle	165.35	118.11

SAILOR LNFT PER	SqFt	1.79	1.79
	Section	23.62	35.43
	Layer	20.67	22.15
	Bundle	165.35	177.17

UNITS PER	SqFt	3.64	2.43
	Section	48.00	48.00
	Bundle	336.00	240.00

LBS PER	Layer	325	350
	Section	371	560
	Bundle	2,598	2,800



RECTANGLE
6 x 9 x 2 3/8"
150 x 225 x 60mm



SQUARE
6 x 6 x 2 3/8"
150 x 150 x 60mm

ADVANTAGES

ANTIQUED FINISH

Distressed, timeworn finish

DRIVE FRIENDLY

Can handle vehicular loads

Notes: **Important:** A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. CAM OH



BURGUNDY RED



BURNT CLAY



OLD OAK



BASALT



STEEL BLUE



BURGUNDY RED/
BURNT CLAY/OLD OAK
Sold Separately/
Blended on Site

	STANDARD
Bundle Type	RANDOM
Thickness (mm)	60MM
Dimension mm	65MM X 200MM X 60MM
Dimension Imperial	2 5/8" X 7 7/8" X 2 3/8"



STANDARD
2 5/8" x 7 7/8" x 2 3/8"
65 x 200 x 60mm

SQFT PER	Bundle	89.20
	Layer	11.15000
	Section	-
	Stone	0.15

PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	1.43
	Section	-
	Layer	15.99
	Bundle	127.95

SAILOR LNFT PER	SqFt	4.41
	Section	-
	Layer	49.21
	Bundle	393.70

UNITS PER	SqFt	6.73
	Section	-
	Bundle	600.00

LBS PER	Layer	294
	Section	-
	Bundle	2,349

ADVANTAGES

REALA™

Cast from historic street pavers

ULTIMA™

Up to 4x stronger than poured-in-place concrete

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. **Important:** A urethane rubber paver mat must be used to prevent scuffing. Please refer to the Polymeric Sand Best Practices on page 86. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. COP ON



BASALT



BELGIAN BLUE



DAWN MIST



PEBBLE TAUPE



BASALT/ BELGIAN BLUE
Sold Separately/
Blended on Site



DAWN MIST/ PEBBLE TAUPE
Sold Separately/
Blended on Site

		5 UNIT
	Bundle Type	RANDOM
	Thickness (mm)	60MM
	Dimension mm	
	Dimension Imperial	

SQFT PER	Bundle	98.30
	Layer	12.29000
	Section	-
	Stone	0.26

PER BUNDLE	Layers	8.00
	Sections	-


SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	2.25
	Section	-
	Layer	27.69
	Bundle	221.52


UNITS PER	SqFt	3.91
	Section	-
	Bundle	384.00

LBS PER	Layer	291
	Section	-
	Bundle	2,326


5 UNIT RANDOM BUNDLE




XL RECTANGLE
5 1/8 x 8 3/8 x 2 3/8"
130 x 215 x 60mm




LARGE RECTANGLE
5 1/8 x 7 1/4 x 2 3/8"
130 x 185 x 60mm



RECTANGLE
5 1/8 x 6 1/2 x 2 3/8"
130 x 165 x 60mm



SMALL RECTANGLE
5 1/8 x 5 3/4 x 2 3/8"
130 x 165 x 60mm



SQUARE
5 1/8 x 5 1/8 x 2 3/8"
130 x 130 x 60mm

ADVANTAGES

REALA™

Cast from historic European cobblestones

ULTIMA™

Up to 4x stronger than poured-in-place concrete

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing. Please refer to the Polymeric Sand Best Practices on page 86. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. CRT ON



NATURAL



RIVER

SPECIAL ORDER PRODUCT

	STANDARD
Bundle Type	RANDOM
Thickness (mm)	80MM
Dimension mm	250MM X 250MM X 80MM
Dimension Imperial	9 7/8" X 9 7/8" X 3 1/8"



STANDARD
10 1/4" x 10 1/4" x 3 1/8"
260 x 260 x 80mm

SQFT PER	Bundle	84.80
	Layer	10.60000
	Section	-
	Stone	0.50

PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

UNITS PER	SqFt	1.98
	Section	-
	Bundle	168.00

LBS PER	Layer	354
	Section	-
	Bundle	2,831

ADVANTAGES

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads

Notes: **Most standard colors are available by special order only and subject to minimum quantities.** Contact your representative for details. This product is optimized for mechanical installation. Sold in full bundles only and is shipped on a refundable skid. All measurements are nominal. **Important:** Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. Contact Unilock for information.

Internal Use Only. EOP OH



NATURAL



RIVER

	RECTANGLE
Bundle Type	SINGLE
Thickness (mm)	80MM
Dimension mm	120MM X 240MM X 80MM
Dimension Imperial	4 3/4" X 9 1/2" X 3 1/8"



RECTANGLE
5 x 10 x 3/8"
120 x 240 x 80mm

SQFT PER	Bundle	75.95
	Layer	10.85000
	Section	15.19
	Stone	0.31

PER BUNDLE	Layers	7.00
	Sections	5.00

SOLDIER LNFT PER	SqFt	1.27
	Section	19.29
	Layer	13.78
	Bundle	96.46

SAILOR LNFT PER	SqFt	2.25
	Section	34.17
	Layer	24.41
	Bundle	170.87

UNITS PER	SqFt	3.23
	Section	49.00
	Bundle	245.00

LBS PER	Layer	381
	Section	534
	Bundle	2,669

ADVANTAGES

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads

Notes: * Special Order - Lead time is required, minimum quantities apply. Sold in full bundles only and sold on a required, refundable skid. River is available in 5x10 as a stock item. **5x10 bundles contain 56 5x5 units and 217 5x10 units; combined total sq.ft. is 75.95. **Important:** A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.


Internal Use Only. EPA OH



STANDARD FINISH




IL CAMPO FINISH



SERIES™ FINISH



UMBRIANO® FINISH



PREMIER FINISH

SPECIAL ORDER PRODUCT

	12" - SMOOTH	12" - SERIES
Bundle Type	SINGLE	SINGLE
Thickness (mm)	100MM	100MM
Dimension mm	75MM X 300MM X 100MM	75MM X 300MM X 100MM
Dimension Imperial	3" X 11 7/8" X 3 7/8"	3" X 11 7/8" X 3 7/8"



3 x 12 x 4"
75 x 300 x 100mm

SQFT PER	Bundle	63.94	63.94
	Layer	10.66000	10.66000
	Section	-	-
	Stone	0.24	0.24

PER BUNDLE	Layers	6.00	6.00
	Sections	-	-

SOLDIER LNFT PER	SqFt	1.02	1.02
	Section	-	-
	Layer	10.83	10.83
	Bundle	64.96	64.96

SAILOR LNFT PER	SqFt	4.06	4.06
	Section	-	-
	Layer	43.31	43.31
	Bundle	259.84	259.84

UNITS PER	SqFt	4.13	4.13
	Section	-	-
	Bundle	264.00	264.00

LBS PER	Layer	465	483
	Section	-	-
	Bundle	2,789	2,898

ADVANTAGES

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Most standard colors are available by special order only and subject to minimum quantities. Contact your representative for details. This product is optimized for mechanical installation. Sold in full bundles only and is shipped on a refundable skid. All measurements are nominal. **Important:** Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. Contact Unilock for information.

Internal Use Only. ECP CH



NOTTE



SABIA



NOTTE HEX



SABIA HEX

	3 UNIT	HEX
Bundle Type	RANDOM	SINGLE
Thickness (mm)	60MM	70MM
Dimension mm	200MM X 200MM X 70MM	
Dimension Imperial	7 7/8" X 7 7/8" X 2 3/4"	

SQFT PER	Bundle	94.14	73.92
	Layer	10.46000	9.24000
	Section	-	-
	Stone	1.31	0.39

PER BUNDLE	Layers	9.00	8.00
	Sections	-	-

SOLDIER LNFT PER	SqFt	-	-
	Section	-	-
	Layer	-	-
	Bundle	-	-

SAILOR LNFT PER	SqFt	0.85	-
	Section	-	-
	Layer	8.86	-
	Bundle	79.72	-

UNITS PER	SqFt	0.76	2.60
	Section	-	-
	Bundle	72.00	192.00

LBS PER	Layer	287	306
	Section	-	-
	Bundle	2,584	2,450

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
21 x 14 x 2 3/4"
540 x 360 x 60mm



SQUARE
14 x 14 x 2 3/4"
360 x 360 x 60mm



SMALL RECTANGLE
7 x 14 x 2 3/4"
180 x 360 x 60mm



HEX
8 x 8 x 2 3/4"
200 x 200 x 70mm

ADVANTAGES

EASYCLEAN™

Factory sealed to provide integral surface protection from stains

ARTISTA™

Boldly mottled color finish

DRIVE FRIENDLY

Can handle vehicular loads - Hex only

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. **Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. GRN NY



DARK CHARCOAL
ENDURACOLOR



GRANITE FUSION
ENDURACOLOR

8"X8" HEX - ENDURACOLOR	
Bundle Type	SINGLE
Thickness (mm)	70MM
Dimension mm	200MM X 200MM X 70MM
Dimension Imperial	7 7/8" X 7 7/8" X 2 3/4"



HEX
8 x 8 x 2 3/4"
200 x 200 x 70mm

SQFT PER	Bundle	73.92
	Layer	9.24000
	Section	-
	Stone	0.39

PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

UNITS PER	SqFt	2.60
	Section	-
	Bundle	192.00

LBS PER	Layer	306
	Section	-
	Bundle	2,450

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. **Important:** A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. HEX OH/ON



CHARCOAL



RIVER



RUSTIC RED



SIERRA **NEW**

	STANDARD
Bundle Type	SINGLE
Thickness (mm)	60MM
Dimension mm	100MM X 200MM X 60MM
Dimension Imperial	3 7/8" X 7 7/8" X 2 3/8"



STANDARD
4 x 8 x 2 3/8"
100 x 200 x 60mm

80mm available as Special Order

SQFT PER	Bundle	106.20
	Layer	11.80000
	Section	17.70
	Stone	0.22

PER BUNDLE	Layers	9.00
	Sections	6.00

SOLDIER LNFT PER	SqFt	1.50
	Section	26.57
	Layer	17.72
	Bundle	159.45

SAILOR LNFT PER	SqFt	3.00
	Section	53.15
	Layer	35.43
	Bundle	318.90

UNITS PER	SqFt	4.58
	Section	81.00
	Bundle	486.00

LBS PER	Layer	319
	Section	478
	Bundle	2,868

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads

Notes: All measurements are nominal. Contact Unilock for more information.

Internal Use Only. HOL OH



DARK CHARCOAL



FOSSIL **NEW**



GRANITE FUSION **NEW**



MOCHA

	STANDARD
Bundle Type	SINGLE
Thickness (mm)	60MM
Dimension mm	100MM X 200MM X 60MM
Dimension Imperial	3 7/8" X 7 7/8" X 2 3/8"



STANDARD
4 x 5 x 2 3/8"
100 x 200 x 60mm

SQFT PER	Bundle	106.20
	Layer	11.80000
	Section	17.70
	Stone	0.22

PER BUNDLE	Layers	9.00
	Sections	6.00

SOLDIER LNFT PER	SqFt	1.50
	Section	26.57
	Layer	17.72
	Bundle	159.45

SAILOR LNFT PER	SqFt	3.00
	Section	53.15
	Layer	35.43
	Bundle	318.90

UNITS PER	SqFt	4.58
	Section	81.00
	Bundle	486.00

LBS PER	Layer	307
	Section	460
	Bundle	2,759


ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. **Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. HPR OH



DARK CHARCOAL



MOCHA

	STANDARD
Bundle Type	SINGLE
Thickness (mm)	70MM
Dimension mm	100MM X 200MM X 70MM
Dimension Imperial	3 7/8" X 7 7/8" X 2 3/4"



STANDARD
4 x 8 x 2 3/4"
100 x 200 x 70mm

SQFT PER	Bundle	94.40
	Layer	11.80000
	Section	15.73
	Stone	0.22

PER BUNDLE	Layers	8.00
	Sections	6.00

SOLDIER LNFT PER	SqFt	1.50
	Section	23.62
	Layer	17.72
	Bundle	141.73

SAILOR LNFT PER	SqFt	3.00
	Section	47.24
	Layer	35.43
	Bundle	283.46

UNITS PER	SqFt	4.58
	Section	72.00
	Bundle	432.00

LBS PER	Layer	362
	Section	483
	Bundle	2,898

ADVANTAGES

BRUSHED FINISH

Graphically interesting etched lines

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. **Important: A urethane rubber paver mat must be used to prevent scuffing.** Please refer to the Important Notes on page 94. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. ILC OH



CHARLESTON



DARK CHARCOAL



SABLE BLEND

	STANDARD
Bundle Type	SINGLE
Thickness (mm)	70MM
Dimension mm	60MM X 240MM X 70MM
Dimension Imperial	2 3/8" X 9 1/2" X 2 3/4"



STANDARD
2 3/8" x 9 1/2" x 2 3/4"
60 x 240 x 70mm

SQFT PER	Bundle	89.28
	Layer	11.16000
	Section	-
	Stone	0.16

PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	1.27
	Section	-
	Layer	14.17
	Bundle	113.39

SAILOR LNFT PER	SqFt	5.08
	Section	-
	Layer	56.69
	Bundle	453.54

UNITS PER	SqFt	6.45
	Section	-
	Bundle	576.00

LBS PER	Layer	357
	Section	-
	Bundle	2,859

ADVANTAGES

ANTIQUED FINISH™

Distressed, timeworn finish

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. **Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. MAT CH

Natural Stone Sandstone



AUTUMN HARVEST **NEW**

INDIAN COAST

STONE CLIFF GREY



12 x 24 x 7/8"
300 x 600 x 22mm

18 x 24 x 7/8"
450 x 600 x 22mm

24 x 24 x 7/8"
600 x 600 x 22mm

24 x 36 x 7/8"
600 x 900 x 22mm

24x24 and 24x36
ALSO SOLD SEPARATELY

4 UNIT RANDOM BUNDLE

Suitable for pool decks, wood decks, patios, entrances and concrete overlays.

	SANDSTONE	SANDSTONE	SANDSTONE
Bundle Type	RANDOM	SINGLE	SINGLE
Thickness (mm)	22MM	22MM	22MM
Dimension mm	297mm x 600mm x 22mm	600mm x 600mm x 22mm	600mm x 900mm x 22mm
Dimension Imperial	11 3/4" X 23 5/8" X 0 7/8"	23 5/8" X 23 5/8" X 0 7/8"	23 5/8" X 35 1/2" X 0 7/8"

ADVANTAGES

PEDESTRIAN FRIENDLY

Not recommended for vehicular use

SQFT PER	Crate	174.00	160.00	180.00
	Unit	3.63	4.00	6.00

FCFT PER	Crate	-	-	-
	Layer	-	-	-
	Unit	-	-	-

LNFT PER	SqFt	-	-	-
	Section	-	-	-

UNITS PER	Crate	48.00	40.00	30.00
	SqFt	0.28	0.25	0.17

LBS PER	Unit	47	46	69
	Bundle	2,265	1,851	2,082

Natural Stone Sandstone Coping, Pillar Caps & Step



AUTUMN HARVEST **NEW**



INDIAN COAST




STONE CLIFF GREY



NATURAL EDGE COPING
12 x 48 x 2"
300 x 1200 x 50mm



4' FULLNOSE COPING
12 x 48 x 2"
300 x 1200 x 50mm



NATURAL EDGE STEP
16 x 48 x 6"
410 x 1200 x 150mm

AVAILABLE IN:
Indian Coast & Stone Cliff Grey



24" PILLAR CAP
24 x 24 x 2.5"
600 x 600 x 64mm

		Sandstone Coping	Sandstone Coping Fullnose	Sandstone Rock Faced Brushed Step	Sandstone Rock Faced Riven Step	Sandstone 24" Pillar Cap
Bundle Type		SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
Thickness (mm)		50MM	50MM	150MM	150MM	64MM
Dimension mm		1,200mm x 50mm x 300mm	1,200mm x 50mm x 300mm	400mm x 1,200mm x 150mm	400mm x 1,200mm x 150mm	600mm x 600mm x 64mm
Dimension Imperial		47 1/4" x 2" x 11 7/8"	47 1/4" x 2" x 11 7/8"	15 3/4" X 47 1/4" X 5 7/8"	15 3/4" X 47 1/4" X 5 7/8"	23 5/8" x 23 5/8" x 2 5/8"
SQFT PER	Crate	-	-	-	-	-
	Unit	-	-	-	-	-
FCFT PER	Crate	-	-	32.00	32.00	-
	Layer	-	-	-	-	-
	Unit	-	-	-	-	-
LNFT PER	SqFt	80.00	80.00	24.00	24.00	-
	Section	4.00	4.00	4.00	4.00	-
UNITS PER	Crate	20.00	20.00	6.00	6.00	14.00
	SqFt	-	-	-	-	-
LBS PER	Unit	104	159	441	421	137
	Bundle	2,072	3,175	2,646	2,526	1,914

Natural Stone Limestone



BLACK RIVER



WINTER MIST

Suitable for pool decks, wood decks, patios, entrances and concrete overlays.



12 x 24 x 7/8"
300 x 600 x 22mm



18 x 24 x 7/8"
450 x 600 x 22mm



24 x 24 x 7/8"
600 x 600 x 22mm



24 x 36 x 7/8"
600 x 900 x 22mm

24x24 and 24x36
ALSO SOLD SEPARATELY

4 UNIT RANDOM BUNDLE

	LIMESTONE	LIMESTONE	LIMESTONE
Bundle Type	RANDOM	SINGLE	SINGLE
Thickness (mm)	22MM	22MM	22MM
Dimension mm	297MM X 600MM X 22MM	600MM X 600MM X 22MM	600MM X 900MM X 22MM
Dimension Imperial	11 3/4" X 23 5/8" X 0 7/8"	23 5/8" X 23 5/8" X 0 7/8"	23 5/8" X 35 1/2" X 0 7/8"

ADVANTAGES

PEDESTRIAN FRIENDLY

Not recommended for vehicular use

SQFT PER	Crate	174.00	160.00	180.00
	Unit	3.63	4.00	6.00

FCFT PER	Crate	-	-	-
	Layer	-	-	-
	Unit	-	-	-

LNFT PER	SqFt	-	-	-
	Section	-	-	-

UNITS PER	Crate	48.00	40.00	30.00
	SqFt	0.28	0.25	0.17

LBS PER	Unit	47	46	69
	Bundle	2,265	1,851	2,082

Notes: Due to natural oxidation, the Black River Limestone will require sealing to maintain its deep rich color.

Natural Stone Limestone Coping, Pillar Caps & Step



BLACK RIVER



WINTER MIST



4' NATURAL EDGE COPING
12 x 48 x 2"
300 x 1200 x 50mm
Winter Mist is 36"



4' FULLNOSE COPING
12 x 48 x 2"
300 x 1200 x 50mm
Winter Mist is 36"



24" PILLAR CAP
24 x 24 x 2.5"
600 x 600 x 64mm

		Limestone Coping - 48" (Black River only)	Limestone Coping Fullnose - 48" (Black River only)	Limestone Coping - 36" (Winter Mist only)	Limestone Coping Fullnose - 36" (Winter Mist only)	Limestone Pillar Cap - 24"
Bundle Type		SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
Thickness (mm)		50MM	50MM	50MM	50MM	64MM
Dimension mm		300mm x 1,200mm x 50mm	300mm x 1,200mm x 50mm	300mm x 900mm x 50mm	300mm x 900mm x 50mm	600mm x 600mm x 64mm
Dimension Imperial		11 7/8" x 47 1/4" x 2"	11 7/8" x 47 1/4" x 2"	11 7/8" X 35 1/2" X 2"	11 7/8" X 35 1/2" X 2"	23 5/8" x 23 5/8" x 2 5/8"
SQFT PER	Crate	-	-	-	-	-
	Unit	-	-	-	-	-
FCFT PER	Crate	-	-	-	-	-
	Layer	-	-	-	-	-
	Unit	-	-	-	-	-
LNFT PER	SqFt	80.00	80.00	90.00	90.00	-
	Section	4.00	4.00	-	4.50	-
UNITS PER	Crate	20.00	20.00	30.00	20.00	14.00
	SqFt	-	-	-	-	-
LBS PER	Unit	104	159	-	79	137
	Bundle	2,072	3,175	2,425	1,587	1,914

Notes: Due to natural oxidation, the Black River Limestone will require sealing to maintain its deep rich color.

Natural Stone Granite Coping & Step



WHITE MOUNTAIN



BLACKRIDGE



NATURAL EDGE COPING
14 x 48 x 2"
360 x 1200 x 50mm



NATURAL EDGE STEP
16 x 48 x 7"
410 x 1200 x 180mm



36" CURB
6 x 36 x 8"
150 x 910 x 200mm
Available in Blackridge

Granite Coping - Natural
Edge - 4'

Granite Step - Natural
Edge - 4'

Granite Curb
- 3'

Bundle Type	SINGLE	SINGLE	SINGLE
Thickness (mm)	50MM	180MM	200MM
Dimension mm	360mm x 1,200mm x 50mm	410mm x 1,200mm x 180mm	150mm x 910mm x 200mm
Dimension Imperial	14 1/4" x 47 1/4" x 2"	16 1/8" x 47 1/4" x 7"	5 7/8" x 35 7/8" x 7 7/8"

SQFT PER	Crate	-	-	-
	Unit	-	-	-

FCFT PER	Crate	84.00	16.00	18.00
	Layer	-	-	-
	Unit	-	-	-


LNFT PER	SqFt	72.00	12.00	36.00
	Section	4.00	4.00	3.00

UNITS PER	Crate	18.00	3.00	12.00
	SqFt	-	-	-

LBS PER	Unit	122	553	175
	Bundle	2,187	1,660	2,100




STANDARD FINISH



IL CAMPO FINISH



PREMIER FINISH



SERIES FINISH

SPECIAL ORDER PRODUCT

		STANDARD
Bundle Type		SINGLE
Thickness (mm)		
Dimension mm		
Dimension Imperial		



STANDARD
10¼ x 10¼ x 3⅞"
260 x 260 x 80mm

SQFT PER	Bundle	
	Layer	
	Section	
	Stone	

PER BUNDLE	Layers	
	Sections	

SOLDIER LNFT PER	SqFt	
	Section	
	Layer	
	Bundle	

SAILOR LNFT PER	SqFt	
	Section	
	Layer	
	Bundle	

UNITS PER	SqFt	
	Section	
	Bundle	

LBS PER	Layer	
	Section	
	Bundle	

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads

Notes: **Special Order - Lead time is required, minimum quantities apply.** Sold in full bundles only. Weights may vary depending on finish. This product is optimized for mechanical installation. All measurements are nominal. **Important:** Contact Unilock for information.

Internal Use Only. OPL CH



DAVINCI BIRCH



DAVINCI DRIFTWOOD



DOLOMITI NATURAL



DOLOMITI NOCE

Bundle Type	SINGLE
	Rectangle Pressed Edge
Thickness (mm)	20MM
Dimension mm	400mm x 1,200mm x 20mm
Dimension Imperial	15 3/4" x 47 1/4" x 0 7/8"



16 x 48 x 3/4"
400 x 1200 x 20mm

SQFT PER	Pallet	279.18
	Box	5.17
	Unit	5.17

PER PALLET	Pallet	54.00
	Layer	279.18
	Unit	54.00

LNFT PER	Pallet	-
	Unit	-

UNITS PER	Pallet	54.00
	Box	1.00
	SqFt	-

LBS PER	Unit	52
	Layer	10
	Section	52
	Bundle	2,800

Suitable for pool decks, wood decks, patios, entrances and concrete overlays.

ADVANTAGES

PEDESTRIAN FRIENDLY

Not recommended for vehicular

Notes: Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. **Important:** Porcelain products are not covered under Unilock's Lifetime Guarantee. Please contact Unilock/your Territory Manager for more information. All measurement are nominal.



ARBOR BIANCO ARBOR GREY ARBOR NATURAL LASCALA BEIGE LASCALA GREY LASCALA NOCE **NEW**

Bundle Type	SINGLE
	Rectangle Pressed Edge
Thickness (mm)	20MM
Dimension mm	400mm x 800mm x 20mm
Dimension Imperial	15 3/4" x 31 1/2" x 0 7/8"



ARBOR SIZE ONLY
15³/₄ x 31¹/₂ x ³/₄"
400 x 800 x 20mm

SQFT PER	Pallet	268.71
	Box	6.89
	Unit	3.45

PER PALLET	Pallet	39.00
	Layer	268.71
	Unit	78.00

LNFT PER	Pallet	-
	Unit	-

UNITS PER	Pallet	78.00
	Box	2.00
	SqFt	-

LBS PER	Unit	32
	Layer	9
	Section	64
	Bundle	2,504

Suitable for pool decks, wood decks, patios, entrances and concrete overlays.

ADVANTAGES

PEDESTRIAN FRIENDLY

Not recommended for vehicular

Notes: Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. **Important:** Porcelain products are not covered under Unilock's Lifetime Guarantee. Please contact Unilock/your Territory Manager for more information. All measurement are nominal.



GOTHAM BEIGE

GOTHAM GREY

GOTHAM NERO

TRAVSTONE BEIGE

TRAVSTONE NOCE


WEST 57TH BEIGE
NEW

WEST 57TH BIANCO
NEW

Bundle Type	SINGLE
	Square Pressed Edge
Thickness (mm)	20MM
Dimension mm	600mm x 600mm x 20mm
Dimension Imperial	23 5/8" x 23 5/8" x 0 7/8"



23⁵/₈ x 23⁵/₈ x ³/₄"
600 x 600 x 20mm



WEST 57TH GREY
NEW

SQFT PER	Pallet	248.00
	Box	7.75
	Unit	3.88

PER PALLET	Pallet	32.00
	Layer	248.00
	Unit	64.00

LNFT PER	Pallet	-
	Unit	-

UNITS PER	Pallet	64.00
	Box	2.00
	SqFt	-

LBS PER	Unit	35
	Layer	9
	Section	70
	Bundle	2,238

Suitable for pool decks, wood decks, patios, entrances and concrete overlays.

ADVANTAGES

PEDESTRIAN FRIENDLY

Not recommended for vehicular

Notes: Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. **Important:** Porcelain products are not covered under Unilock's Lifetime Guarantee. Please contact Unilock/your Territory Manager for more information. All measurement are nominal.



OPAL BLEND



SANDSTONE
4x12x4 only



STEEL GREY BLEND
4x16x4 only

	4 X 16 SMOOTH	4 X 16 SMOOTH	8 X 24 SMOOTH
Bundle Type	RANDOM	RANDOM	SINGLE
Thickness (mm)	100MM	100MM	100MM
Dimension mm	100MM X 400MM X 100MM	100MM X 400MM X 100MM	200MM X 600MM X 100MM
Dimension Imperial	3 7/8" X 15 3/4" X 3 7/8"	3 7/8" X 15 3/4" X 3 7/8"	7 7/8" X 23 5/8" X 3 7/8"

SQFT PER	Bundle	58.13	-	-
	Layer	11.63000	10.33000	10.33000
	Section	-	-	-
	Stone	0.32	0.43	1.29

PER BUNDLE	Layers	5.00	-	-
	Sections	-	-	-

SOLDIER LNFT PER	SqFt	1.02	0.76	0.51
	Section	-	-	-
	Layer	11.81	7.87	5.25
	Bundle	59.06	-	-

SAILOR LNFT PER	SqFt	3.05	3.05	1.52
	Section	-	-	-
	Layer	35.43	31.50	15.75
	Bundle	177.17	-	-

UNITS PER	SqFt	3.10	2.32	0.77
	Section	-	-	-
	Bundle	180.00	-	-

LBS PER	Layer	532	488	478
	Section	-	-	-
	Bundle	2,659	-	-



8 x 24 x 4"
200 x 600 x 100mm



4 x 16 x 4"
100 x 400 x 100mm



4 x 12 x 4"
10 x 300 x 100mm
In Sandstone only

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Sold in full bundles only. Weights and square feet may vary depending on plant of manufacture and finish. Custom finish and color options are available. All measurements are nominal. **Important: A urethane rubber paver mat must be used to prevent scuffing.** Contact Unilock for more information.

Internal Use Only. PMD ON



BLACK GRANITE SERIES™ FINISH
4x12x4 only



GRANITE BLEND IL CAMPO® FINISH
8x24x4 only



SERIES FINISH
8x24x4 only



STEEL GREY BLEND
8x24x4 only

SPECIAL ORDER PRODUCT

	4 X 12 SERIES EXPOSED	8 X 24 SERIES EXPOSED	8 X 24 IL CAMPO BRUSHED
Bundle Type	RANDOM	SINGLE	SINGLE
Thickness (mm)	100MM	100MM	100MM
Dimension mm	100MM X 300MM X 100MM	200MM X 600MM X 100MM	200MM X 600MM X 100MM
Dimension Imperial	3 7/8" X 11 7/8" X 3 7/8"	7 7/8" X 23 5/8" X 3 7/8"	7 7/8" X 23 5/8" X 3 7/8"



8 x 24 x 4"
200 x 600 x 100mm



4 x 12 x 4"
10 x 300 x 100mm
In Black Granite only

SQFT PER	Bundle	58.13	51.67	51.67
	Layer	11.63000	10.33000	10.33000
	Section	-	-	-
	Stone	0.32	1.29	1.29

PER BUNDLE	Layers	5.00	5.00	5.00
	Sections	-	-	-

SOLDIER LNFT PER	SqFt	1.02	0.51	0.51
	Section	-	-	-
	Layer	11.81	5.25	5.25
	Bundle	59.06	26.25	26.25

SAILOR LNFT PER	SqFt	3.05	1.52	1.52
	Section	-	-	-
	Layer	35.43	15.75	15.75
	Bundle	177.17	78.74	78.74

UNITS PER	SqFt	3.10	0.77	0.77
	Section	-	-	-
	Bundle	180.00	40.00	40.00

LBS PER	Layer	532	478	478
	Section	-	-	-
	Bundle	2,659	2,391	2,391

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Special Order - Lead time is required, minimum quantities apply. Sold in full bundles only. Weights and square feet may vary depending on plant of manufacture and finish. Custom finish and color options are available. All measurements are nominal. **Important: A urethane rubber paver mat must be used to prevent scuffing.** Contact Unilock for more information.

Internal Use Only. PMD ON



DAWN MIST

PEBBLE TAUPE

SMOKE SHALE

DAWN MIST/ PEBBLE TAUPE
Sold Separately/ Blended on Site

	3 UNIT	LARGE RECTANGLE
Bundle Type		
Thickness (mm)	60MM	60MM
Dimension mm		302MM X 528MM X 60MM
Dimension Imperial		11 7/8" X 20 7/8" X 2 3/8"

SQFT PER	Bundle	90.30	82.39
	Layer	11.29000	10.30000
	Section	-	-
	Stone	0.56	1.72

PER BUNDLE	Layers	8.00	8.00
	Sections	-	-

SOLDIER LNFT PER	SqFt	-	0.58
	Section	-	-
	Layer	-	5.94
	Bundle	-	47.56

SAILOR LNFT PER	SqFt	1.31	1.01
	Section	-	-
	Layer	14.78	10.39
	Bundle	118.22	83.15

UNITS PER	SqFt	1.77	0.58
	Section	-	-
	Bundle	160.00	48.00

LBS PER	Layer	309	301
	Section	-	-
	Bundle	2,472	2,411

3 UNIT RANDOM BUNDLE

RECTANGLE
12 x 9 x 2 3/8"
300 x 226 x 60mm

SQUARE
9 x 9 x 2 3/8"
226 x 226 x 60mm

SMALL RECTANGLE
6 x 9 x 2 3/8"
150 x 226 x 60mm

LARGE RECTANGLE
21 x 12 x 2 3/8"
528 x 302 x 60mm
Sold Separately

ADVANTAGES

REALA™
Cast from natural stone

ULTIMA™
Up to 4x stronger than poured-in-place concrete

DRIVE FRIENDLY
Random Bundle can handle vehicular loads

Notes: Sold as full bundles or half bundles only on a refundable skid. **Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information. Please refer to the Polymeric Sand Best Practices on page 86 and Important Notes on page 94.

Internal Use Only. RIC ON



BLUESTONE



CANYON

	24 X 24	12 X 24	18 X 24
Bundle Type	SINGLE	SINGLE	SINGLE
Thickness (mm)	45MM	45MM	45MM
Dimension mm	600MM X 600MM X 45MM	300MM X 600MM X 45MM	450MM X 600MM X 45MM
Dimension Imperial	23 5/8" X 23 5/8" X 1 7/8"	11 7/8" X 23 5/8" X 1 7/8"	17 3/4" X 23 5/8" X 1 7/8"

SQFT PER	Bundle	72.00	36.00	54.00
	Layer	8.00000	6.00000	6.00000
	Section	-	-	-
	Stone	4.00	2.00	3.00

PER BUNDLE	Layers	9.00	6.00	9.00
	Sections	-	-	-

SOLDIER LNFT PER	SqFt	0.20	0.20	0.13
	Section	-	-	-
	Layer	1.57	1.18	0.79
	Bundle	14.17	7.09	7.09

SAILOR LNFT PER	SqFt	0.20	0.39	0.26
	Section	-	-	-
	Layer	1.57	2.36	1.57
	Bundle	14.17	14.17	14.17

UNITS PER	SqFt	0.25	0.50	0.33
	Section	-	-	-
	Bundle	18.00	18.00	18.00

LBS PER	Layer	150	117	115
	Section	-	-	-
	Bundle	1,353	700	1,038



23 5/8" x 23 5/8" x 1 7/8"
600 x 600 x 45mm



11 7/8" x 23 5/8" x 1 7/8"
300 x 600 x 45mm



17 3/4" x 23 5/8" x 1 7/8"
450 x 600 x 45mm

ADVANTAGES

REALA™

Cast from natural stone

PEDESTRIAN FRIENDLY

Not recommended for vehicular use

Notes: **Important: Do not use a vibratory plate compactor for final compaction. Product is not intended for vehicular applications.** Stones and coverages are designed to have up to 1/4" joint size. All measurements are nominal. Contact Unilock for information.

Internal Use Only. RIV CH



COBALT GREY



MINERAL ICE GREY

		3 UNIT
Bundle Type		RANDOM
Thickness (mm)		60MM
Dimension mm		
Dimension Imperial		

SQFT PER	Bundle	104.60
	Layer	10.46000
	Section	-
	Stone	1.31

PER BUNDLE	Layers	10.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	0.85
	Section	-
	Layer	8.86
	Bundle	88.58

UNITS PER	SqFt	0.76
	Section	-
	Bundle	80.00

LBS PER	Layer	290
	Section	-
	Bundle	2,896

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
14¼ x 21¼ x 2⅜"
360 x 540 x 60mm



SQUARE
14¼ x 14¼ x 2⅜"
360 x 360 x 60mm



SMALL RECTANGLE
7½ x 14¼ x 2⅜"
180 x 360 x 60mm

ADVANTAGES

Granite, Quartz and Marble surface materials

PEDESTRIAN FRIENDLY

Not recommended for vehicular use

Notes: Product sold in full bundles only. **Important:** A urethane rubber mat must be used to prevent scuffing. Please refer to the Important Notes on page 94.

Internal Use Only. S3K CH



MINERAL ICE GREY

GOLDEN TAN

ONYX BLACK

		4 X 8
Bundle Type		SINGLE
Thickness (mm)		70MM
Dimension mm		100MM X 200MM X 70MM
Dimension Imperial		3 7/8" X 7 7/8" X 2 3/4"



3 7/8" x 7 7/8" x 2 3/4"
100 x 200 x 70mm

SQFT PER	Bundle	106.20
	Layer	11.80000
	Section	17.70
	Stone	0.22

PER BUNDLE	Layers	9.00
	Sections	6.00

SOLDIER LNFT PER	SqFt	1.50
	Section	26.57
	Layer	17.72
	Bundle	159.45

SAILOR LNFT PER	SqFt	3.00
	Section	53.15
	Layer	35.43
	Bundle	318.90

UNITS PER	SqFt	4.58
	Section	81.00
	Bundle	486.00

LBS PER	Layer	377
	Section	566
	Bundle	3,397

ADVANTAGES

Granite, Quartz and Marble surface materials

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Product sold in full bundles only. **Important:** A urethane rubber mat must be used to prevent scuffing. Please refer to the Important Notes on page 94.

Internal Use Only. S3K CH



SILVER GREY

	24 X 24
Bundle Type	SINGLE
Thickness (mm)	50MM
Dimension mm	600MM X 600MM X 50MM
Dimension Imperial	23 5/8" X 23 5/8" X 2"

SQFT PER	Bundle	77.50
	Layer	7.75000
	Section	-
	Stone	3.88

PER BUNDLE	Layers	10.00
	Sections	-

SOLDIER LNFT PER	SqFt	0.51
	Section	-
	Layer	3.98
	Bundle	39.76

SAILOR LNFT PER	SqFt	0.51
	Section	-
	Layer	3.98
	Bundle	39.76

UNITS PER	SqFt	0.26
	Section	-
	Bundle	20.00

LBS PER	Layer	187
	Section	-
	Bundle	1,869



23⁷/₈ x 23⁷/₈ x 2"
606 x 606 x 50mm



Pedestal System
Contact your local Unilock
Rep for more information.

ADVANTAGES

PEDESTRIAN FRIENDLY
Not recommended for vehicular use

Notes: Product sold in full bundles only, and is produced and sold on a required and refundable skid. Product is not intended for vehicular applications. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. All measurements are nominal.

Internal Use Only. SKY OH



RIVER BLEND



SIERRA

	12 X 12	6 X 12	6 X 6
Bundle Type	SINGLE	SINGLE	SINGLE
Thickness (mm)	70MM	70MM	70MM
Dimension mm	300MM X 300MM X 70MM	150MM X 300MM X 70MM	150MM X 150MM X 70MM
Dimension Imperial	11 7/8" X 11 7/8" X 2 3/4"	5 7/8" X 11 7/8" X 2 3/4"	5 7/8" X 5 7/8" X 2 3/4"

SQFT PER	Bundle	93.04	93.93	93.04
	Layer	11.63000	11.74000	11.63000
	Section	23.26	23.48	11.63
	Stone	0.24	0.49	0.97

PER BUNDLE	Layers	8.00	8.00	8.00
	Sections	4.00	4.00	8.00

SOLDIER LNFT PER	SqFt	2.03	1.01	1.02
	Section	47.24	23.62	11.81
	Layer	23.62	11.81	11.81
	Bundle	188.98	94.49	94.49

SAILOR LNFT PER	SqFt	2.03	2.01	1.02
	Section	47.24	47.24	11.81
	Layer	23.62	23.62	11.81
	Bundle	188.98	188.98	94.49

UNITS PER	SqFt	4.13	2.04	1.03
	Section	96.00	48.00	12.00
	Bundle	384.00	192.00	96.00

LBS PER	Layer	356	354	351
	Section	713	708	351
	Bundle	2,852	2,833	2,808



LARGE SQUARE
12 x 12 x 2 3/4"
300 x 300 x 70mm



RECTANGLE
6 x 12 x 2 3/4"
150 x 300 x 70mm



SMALL SQUARE
6 x 6 x 2 3/4"
150 x 150 x 70mm


ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Weights and square feet may vary depending on plant of manufacture and finish. Custom finish and color options are available. All measurements are nominal. **Important: A urethane rubber paver mat must be used to prevent scuffing.** Contact Unilock for more information.

Internal Use Only. STH OH



FOSSIL **NEW**



SIERRA

		3 UNIT
Bundle Type		RANDOM
Thickness (mm)		70MM
Dimension mm		
Dimension Imperial		

SQFT PER	Bundle	88.61
	Layer	11.08000
	Section	-
	Stone	0.92

PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

UNITS PER	SqFt	1.08
	Section	-
	Bundle	96.00

LBS PER	Layer	330
	Section	-
	Bundle	2,638

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
13¾ x 16½ x 2¾"
350 x 420 x 70mm



MEDIUM RECTANGLE
13¾ x 8¼ x 2¾"
210 x 350 x 70mm



SMALL RECTANGLE
6⅞ x 8¼ x 2¾"
173 x 210 x 70mm

ADVANTAGES

PERMEABLE


Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular use

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. **Important:** A urethane rubber paver mat must be used to prevent scuffing. For permeable installations, Unilock recommends using granite chips for joint filler. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. THB OH



BURGUNDY RED BURNT CLAY OLD OAK BASALT HERITAGE RED HERITAGE CLAY BURGUNDY RED/
BURNT CLAY/OLD OAK HERITAGE 2 COLOR BLEND
Sold Separately/
Blended on Site Sold Separately/
Blended on Site

	STANDARD
Bundle Type	SINGLE
Thickness (mm)	70MM
Dimension mm	100MM X 250MM X 70MM
Dimension Imperial	3 7/8" X 9 7/8" X 2 3/4"



STANDARD
3 7/8" x 9 7/8" x 2 3/4"
100 x 250 x 70mm

SQFT PER	Bundle	88.41
	Layer	11.05000
	Section	-
	Stone	0.28

PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	1.19
	Section	-
	Layer	13.12
	Bundle	104.99

SAILOR LNFT PER	SqFt	2.97
	Section	-
	Layer	32.81
	Bundle	262.47

UNITS PER	SqFt	3.62
	Section	-
	Bundle	320.00

LBS PER	Layer	361
	Section	-
	Bundle	2,888

ADVANTAGES

REALA™

Cast from historic brick

ULTIMA™

Up to 4x stronger than poured-in-place concrete

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing. For permeable installations, Unilock recommends using granite chips for joint filler. For traditional applications, please refer to the Polymeric Sand Best Practices on page 86 and Important Notes on page 94. All measurements are nominal. Contact Unilock for more information.

Internal Use Only, TWN ON



GRANITE FUSION **NEW** RIVER

SIERRA

		3 UNIT
Bundle Type		RANDOM
Thickness (mm)		60MM
Dimension mm		
Dimension Imperial		

SQFT PER	Bundle	98.09
	Layer	10.90000
	Section	-
	Stone	0.45

PER BUNDLE	Layers	9.00
	Sections	-


SOLDIER LNFT PER	SqFt	0.81
	Section	-
	Layer	8.86
	Bundle	79.72

SAILOR LNFT PER	SqFt	1.63
	Section	-
	Layer	17.72
	Bundle	159.45


UNITS PER	SqFt	2.20
	Section	-
	Bundle	216.00

LBS PER	Layer	285
	Section	-
	Bundle	2,562


3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
13¼ x 8⅞ x 2⅜"
225 x 337.5 x 60mm



SQUARE
8⅞ x 8⅞ x 2⅜"
225 x 337.5 x 60mm



SMALL RECTANGLE
4½ x 8⅞ x 2⅜"
210 x 350 x 70mm

ADVANTAGES

PEDESTRIAN FRIENDLY

Not recommended for vehicular use

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. **Important:** A urethane rubber paver mat must be used to prevent scuffing. For traditional applications, please refer to the Polymeric Sand Best Practices on page 86 and Important Notes on page 94. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. TRE OH



CRYSTALLINE BASALT PEPPERED GRANITE

		3 UNIT
Bundle Type		RANDOM
Thickness (mm)		70MM
Dimension mm		
Dimension Imperial		

SQFT PER	Bundle	97.53
	Layer	12.19000
	Section	12.19
	Stone	0.32

PER BUNDLE	Layers	8.00
	Sections	8.00

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	2.34
	Section	28.49
	Layer	28.49
	Bundle	227.95

UNITS PER	SqFt	3.12
	Section	38.00
	Bundle	304.00

LBS PER	Layer	398
	Section	398
	Bundle	3,186

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE
5 1/8" x 12" x 2 3/4"
130 x 305 x 70mm



MEDIUM RECTANGLE
5 1/8" x 9" x 2 3/4"
130 x 230 x 70mm



SMALL RECTANGLE
5 1/8" x 7" x 2 3/4"
130 x 175 x 70mm

ADVANTAGES

Granite, Quartz and Marble surface materials

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. **Important:** A urethane rubber paver mat must be used to prevent scuffing. For permeable installations, Unilock recommends using granite chips for joint filler. For traditional applications, please refer to the Polymeric Sand Best Practices on page 86 and Important Notwa on page 94. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. TBC NY



NATURAL

	STANDARD
Bundle Type	SINGLE
Thickness (mm)	80MM
Dimension mm	400MM X 600MM X 80MM
Dimension Imperial	15 3/4" X 23 5/8" X 3 1/8"



STANDARD
15 3/4" x 23 5/8" x 3 1/8"
400 x 600 x 80mm

SQFT PER	Bundle	70.00
	Layer	10.00000
	Section	-
	Stone	2.50

PER BUNDLE	Layers	7.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

UNITS PER	SqFt	0.40
	Section	-
	Bundle	28.00

LBS PER	Layer	249
	Section	-
	Bundle	1,746

ADVANTAGES

PERMEABLE

Can be installed to allow water to flow through

PEDESTRIAN FRIENDLY

Not recommended for vehicular use

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. TFS OH



FRENCH GREY



MIDNIGHT SKY



SUMMER WHEAT



WINTER MARVEL

	3 UNIT	RECTANGLE
Bundle Type	RANDOM	SINGLE
Thickness (mm)	60MM	60MM
Dimension mm		100MM X 200MM X 60MM
Dimension Imperial		3 7/8" X 7 7/8" X 2 3/8"

SQFT PER	Bundle	94.14	106.20
	Layer	10.46000	11.80000
	Section	-	-
	Stone	1.31	0.22

PER BUNDLE	Layers	9.00	9.00
	Sections	-	-

SOLDIER LNFT PER	SqFt	-	1.50
	Section	-	-
	Layer	-	17.72
	Bundle	-	159.45

SAILOR LNFT PER	SqFt	0.85	3.00
	Section	-	-
	Layer	8.86	35.43
	Bundle	79.72	318.90

UNITS PER	SqFt	0.76	4.58
	Section	-	-
	Bundle	72.00	486.00

LBS PER	Layer	287	322
	Section	-	-
	Bundle	2,584	2,900

3 UNIT RANDOM BUNDLE

LARGE RECTANGLE
14 x 21 x 2 3/8"
360 x 540 x 60mm

SQUARE
14 x 14 x 2 3/8"
360 x 360 x 60mm

SMALL RECTANGLE
7 x 14 x 2 3/8"
180 x 360 x 60mm



RECTANGLE
4 x 8 x 2 3/8"
100 x 200 x 60mm

ADVANTAGES

EASYCLEAN™

Factory sealed to provide integral surface protection from stains

COLORFUSION™

Subtly mottled color finish

PEDESTRIAN FRIENDLY


Not recommended for vehicular use

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. **6cm Random Bundle pavers are not suitable for vehicular applications. Important: A urethane rubber paver mat must be used to prevent scuffing.** Please refer to the Polysand Best Practices on page 86 and Important Notes on page 94. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. All measurements are nominal.

Internal Use Only. UMB ON/CH



FRENCH GREY



MIDNIGHT SKY



SUMMER WHEAT



WINTER MARVEL

Bundle Type	SINGLE	SINGLE
Thickness (mm)	70MM	70MM
Dimension mm	600mm x 600mm x 70mm	300mm x 600mm x 70mm
Dimension Imperial	23 5/8" x 23 5/8" x 2 3/4"	11 7/8" x 23 5/8" x 2 3/4"

SQFT PER	Bundle	-	-
	Layer	7.75000	11.63000
	Section	-	-
	Stone	3.88	1.94

PER BUNDLE	Layers	-	-
	Sections	-	-

SOLDIER LNFT PER	SqFt	0.51	0.51
	Section	-	-
	Layer	3.94	5.91
	Bundle	-	-

SAILOR LNFT PER	SqFt	0.51	1.02
	Section	-	-
	Layer	3.94	11.81
	Bundle	-	-

UNITS PER	SqFt	0.26	0.52
	Section	-	-
	Bundle	-	-

LBS PER	Layer	258	393
	Section	-	-
	Bundle	-	-



24 x 24 x 2 3/4"
600 x 600 x 70mm



12 x 24 x 2 3/4"
300 x 600 x 70mm

ADVANTAGES

24" slabs not recommended for vehicular use. All other sizes can handle vehicular loads.

EASYCLEAN™

Factory sealed to provide integral surface protection from stains

COLORFUSION™


Subtly mottled color finish

PEDESTRIAN FRIENDLY

Not recommended for vehicular use

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. **Important: A urethane rubber paver mat must be used to prevent scuffing.** Please refer to the Polysand Best Practices on page 86 and Important Notes on page 94. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. All measurements are nominal.

Internal Use Only. UMB ON



FRENCH GREY

MIDNIGHT SKY

SUMMER WHEAT

WINTER MARVEL

	RECTANGLE	SQUARE	HEX
Bundle Type	SINGLE	SINGLE	SINGLE
Thickness (mm)	70MM	70MM	70MM
Dimension mm	200mm x 400mm x 70mm	400mm x 400mm x 70mm	200MM X 200MM X 70MM
Dimension Imperial	7 7/8" x 15 3/4" x 2 3/4"	15 3/4" x 15 3/4" x 2 3/4"	7 7/8" X 7 7/8" X 2 3/4"

SQFT PER	Bundle	82.67	82.67	73.92
	Layer	10.33000	10.33000	9.24000
	Section	-	-	-
	Stone	0.86	1.72	0.39

PER BUNDLE	Layers	8.00	8.00	8.00
	Sections	-	-	-

SOLDIER LNFT PER	SqFt	0.76	0.76	-
	Section	-	-	-
	Layer	7.87	7.87	-
	Bundle	62.99	62.99	-

SAILOR LNFT PER	SqFt	1.52	0.76	-
	Section	-	-	-
	Layer	15.75	7.87	-
	Bundle	125.98	62.99	-

UNITS PER	SqFt	1.16	0.58	2.60
	Section	-	-	-
	Bundle	96.00	48.00	192.00

LBS PER	Layer	343	350	306
	Section	-	-	-
	Bundle	2,746	2,797	2,450



ADVANTAGES

EASYSKIN™
Factory sealed to provide integral surface protection from stains

COLORFUSION™
Subtly mottled color finish

DRIVE FRIENDLY
Can handle vehicular loads

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. **Important: A urethane rubber paver mat must be used to prevent scuffing.** Please refer to the Polysand Best Practices on page 86 and Important Notes on page 94. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. All measurements are nominal.

Internal Use Only. UMB ON



FRENCH GREY

MIDNIGHT SKY

SUMMER WHEAT

WINTER MARVEL

Bundle Type		SINGLE	RANDOM
Thickness (mm)		80MM	80MM
Dimension mm		180mm x 360mm x 80mm	
Dimension Imperial		7" x 14 1/4" x 3 1/8"	

SQFT PER	Bundle	73.24	93.62
	Layer	10.46000	10.40
	Section	-	-
	Stone	0.70	-

PER BUNDLE	Layers	7.00	9.00
	Sections	-	-

SOLDIER LNFT PER	SqFt	0.85	-
	Section	-	-
	Layer	8.86	-
	Bundle	62.01	-

SAILOR LNFT PER	SqFt	1.69	0.83
	Section	-	-
	Layer	17.72	8.61
	Bundle	124.02	77.51

UNITS PER	SqFt	1.43	0.77
	Section	-	-
	Bundle	105.00	72.00

LBS PER	Layer	383	282
	Section	-	-
	Bundle	2,680	2,540

3 UNIT RANDOM BUNDLE



ADVANTAGES

EASycLEAN™

Factory sealed to provide integral surface protection from stains

COLORFUSION™

Subtly mottled color finish

DRIVE FRIENDLY

Can handle vehicular loads

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid.

Important: A urethane rubber paver mat must be used to prevent scuffing. Please refer to the Polysand Best Practices on page 86 and Important Notes on page 94. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. All measurements are nominal.

Internal Use Only. UMB ON



GRANITE



RIVER BLEND



SIERRA

Bundle Type	RANDOM
Thickness (mm)	70MM
Dimension mm	
Dimension Imperial	

SQFT PER	Bundle	94.19
	Layer	11.77000
	Section	-
	Stone	0.59

PER BUNDLE	Layers	8.00
	Sections	-

SOLDIER LNFT PER	SqFt	-
	Section	-
	Layer	-
	Bundle	-

SAILOR LNFT PER	SqFt	1.24
	Section	-
	Layer	14.57
	Bundle	116.56

UNITS PER	SqFt	1.70
	Section	-
	Bundle	160.00

LBS PER	Layer	361
	Section	-
	Bundle	2,884

3 UNIT RANDOM BUNDLE

LARGE RECTANGLE
15 x 10 x 2 3/4"
380 x 254 x 70mm

SQUARE
10 x 10 x 2 3/4"
254 x 254 x 70mm

RECTANGLE
5 x 10 x 2 3/4"
127 x 254 x 70mm

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.**
Important: A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. WPT OH



COFFEE CREEK



LIMESTONE



RIVER
Not available in Coping



SANDSTONE



SIERRA



3 UNIT RANDOM BUNDLE



15" UNIT
8 x 15 x 4"
200 x 381 x 100mm



12" UNIT
8 x 12 x 4"
200 x 300 x 100mm



9" UNIT
8 x 9 x 4"
200 x 229 x 100mm



STANDARD
8 x 12 x 4"
200 x 300 x 100mm



COPING
12 x 12 x 3"
305 x 305 x 76mm



SMALL TAPERED UNIT
8 x 9 x 4"
200 x 229 x 100mm

	Tapered	Standard	Coping	Standard
Bundle Type	SINGLE	SINGLE	SINGLE	RANDOM
Thickness (mm)	100MM	100MM	76MM	100MM
Dimension mm	229mm x 100mm x 200mm	300mm x 100mm x 200mm	305mm x 76mm x 305mm	
Dimension Imperial	9" x 3 7/8" x 7 7/8"	11 7/8" x 3 7/8" x 7 7/8"	12" x 3" x 12"	

FCFT PER	Bundle	36.00	36.00	24.00	36.00
	Layer	6.00000	6.00000	3.00000	6.00000
	Stone	0.25	0.33	0.25	0.33

PER BUNDLE	Layers	6.00	6.00	8.00	6.00
	Sections	-	6.00	4.00	6.00

LNFT PER	Bundle	108.00	108.00	81.00	108.00
	Unit	0.75	1.00	0.84	1.00

UNITS PER	SqFt	4.00	3.00	4.00	3.00
	Section	-	18.00	24.00	18.00
	Bundle	144.00	108.00	96.00	108.00

LBS PER	Layer	480	530	373	456
	Section	-	530	746	456
	Bundle	2,880	3,182	2,984	2,737

ADVANTAGES

ANTIQUE FINISH

Distressed, timeworn finish

COPING OPTIONS

We recommend using LedgeStone, Natural Stone, Universal Coping or Brussels Fullnose.

Notes: **Small tapered units are sold in full bundles only.** Maximum height is 24" (under optimum conditions).
*Based on 12" deep wall coverage = 21.4 sqft per bundle. Based on an 8" deep wall coverage = 32 sqft per bundle.
LedgeStone, Brussels XL or 6" x 12" Fullnose complement as a possible coping unit. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BDS OH

SQUARE



ROUND



SUNSET FIREPIT KITS



NATURAL

STANDARD
72 x 12 x 14"
1830 x 300 x 360mm
SPECIAL ORDER

CORNER 90°
60 X 12 X 24"
900 x 300 x 360mm
SPECIAL ORDER
(Right Corner Shown)

COPING
72 x 12 x 14"
1830 x 300 x 360mm
SPECIAL ORDER

CLOSED-END COPING
72 x 12 x 14"
1830 x 300 x 360mm
SPECIAL ORDER

	Standard	Corner 90°	Coping	Closed-End Coping
Bundle Type	SINGLE	SINGLE	SINGLE	SINGLE
Thickness (mm)	300MM	300MM	300MM	300MM
Dimension mm	1,830mm x 300mm x 600mm	1,520mm x 300mm x 600mm	1,830mm x 300mm x 600mm	1,830mm x 300mm x 600mm
Dimension Imperial	72" x 11 7/8" x 23 5/8"	59 7/8" x 11 7/8" x 23 5/8"	72" x 11 7/8" x 23 5/8"	72" X 11 7/8" X 23 5/8"

FCFT PER	Bundle	6.02	7.04	6.02	6.02
	Layer	6.02000	7.04000	6.02000	6.02000
	Stone	6.02	7.04	6.02	6.02

PER BUNDLE	Layers	1.00	1.00	1.00	1.00
	Sections	-	-	-	-

LNFT PER	Bundle	6.02	-	6.00	6.02
	Unit	6.02	-	6.00	6.02

UNITS PER	SqFt	0.17	0.14	0.17	0.17
	Section	-	-	-	-
	Bundle	1.00	1.00	1.00	1.00

LBS PER	Layer	1,680	1,320	1,560	1,560
	Section	-	-	-	-
	Bundle	1,680	1,320	1,560	1,560

Notes: *Special Order - Lead time is required, minimum quantities apply. Sold in full bundles only. Closed-end coping units are closed on both ends so that they may be used as left or right units. Tie-back units are reinforced with steel. 1/2 Standard units are slightly tapered and can be used to create a 45 foot radius. Refer to terms and conditions for placement rates. Unilock, through Risi Stone® Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide this preliminary site engineering. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. DH1 ON



NATURAL



TIE-BACK
72 x 12 x 14"
1830 x 300 x 360mm
SPECIAL ORDER



1/2 COPING
36" x 12" x 24"
915 x 300 x 600mm
SPECIAL ORDER



CORNER 45°
60" x 12" x 24"
1520 x 300 x 600mm
SPECIAL ORDER
(Right Corner Shown)



1/2 STANDARD
36" x 12" x 24"
915 x 300 x 600mm
SPECIAL ORDER

	Tie-Back	1/2 Coping	Corner 45°	1/2 Standard
Bundle Type	SINGLE	SINGLE	SINGLE	SINGLE
Thickness (mm)	300MM	300MM	300MM	300MM
Dimension mm	600mm x 300mm x 1,830mm	915mm x 300mm x 600mm	1,520mm x 300mm x 600mm	915mm x 300mm x 600mm
Dimension Imperial	23 5/8" x 11 7/8" x 72"	36" x 11 7/8" x 23 5/8"	59 7/8" x 11 7/8" x 23 5/8"	36" X 11 7/8" X 23 5/8"

FCFT PER	Bundle	2.00	2.95	7.04	3.00
	Layer	2.00000	2.95000	7.04000	3.00000
	Stone	2.00	2.95	7.04	3.00

PER BUNDLE	Layers	1.00	1.00	1.00	1.00
	Sections	-	-	-	-

LNFT PER	Bundle	-	3.00	-	3.00
	Unit	-	3.00	-	3.00

UNITS PER	SqFt	0.50	0.34	0.14	0.33
	Section	-	-	-	-
	Bundle	1.00	1.00	1.00	1.00

LBS PER	Layer	1,660	780	1,480	800
	Section	-	-	-	-
	Bundle	1,660	780	1,480	800

Internal Use Only. DHI ON

Notes: *Special Order - Lead time is required, minimum quantities apply. Sold in full bundles only. Closed-end coping units are closed on both ends so that they may be used as left or right units. Tie-back units are reinforced with steel. 1/2 Standard units are slightly tapered and can be used to create a 45 foot radius. Refer to terms and conditions for placement rates. Unilock, through Risi Stone® Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide this preliminary site engineering. All measurements are nominal. Contact Unilock for more information.

DuraHold 2®



NATURAL

STANDARD
72" x 12" x 14"
1830 x 300 x 360mm
SPECIAL ORDER

COPING
72" x 12" x 14"
1830 x 300 x 360mm
SPECIAL ORDER

CLOSED END COPING
72" x 12" x 14"
1830 x 300 x 360mm
SPECIAL ORDER

TIE-BACK
72" x 12" x 14"
1830 x 300 x 360mm
SPECIAL ORDER

CORNER 90°
36" x 12" x 14"
900 x 300 x 360mm
(Right Corner Shown)
SPECIAL ORDER

	Standard	Coping	Closed-End Coping	Tie-Back	Corner 90°
Bundle Type	SINGLE	SINGLE	SINGLE	RANDOM	SINGLE
Thickness (mm)	300MM	300MM	300MM	300MM	300MM
Dimension mm	1,830mm x 300mm x 360mm	1,830mm x 300mm x 360mm	1,830mm x 300mm x 360mm	360mm x 300mm x 1,830mm	900mm x 300mm x 360mm
Dimension Imperial	72" x 11 7/8" x 14 1/4"	72" x 11 7/8" x 14 1/4"	72" x 11 7/8" x 14 1/4"	14 1/4" X 11 7/8" X 72"	35 1/2" x 11 7/8" x 14 1/4"

FCFT PER	Bundle	6.02	24.08	24.08	1.17	4.17
	Layer	6.02000	6.02000	6.02000	1.17000	4.17000
	Stone	6.02	6.02	6.02	1.17	4.17

PER BUNDLE	Layers	1.00	4.00	4.00	1.00	1.00
	Sections	-	-	-	-	-

LNFT PER	Bundle	6.02	24.10	24.10	-	-
	Unit	6.02	6.02	6.02	-	-

UNITS PER	SqFt	0.17	0.17	0.17	0.85	0.24
	Section	-	-	-	-	-
	Bundle	1.00	4.00	4.00	1.00	1.00

LBS PER	Layer	938	884	884	938	460
	Section	-	-	-	-	-
	Bundle	938	3,536	3,536	938	460

Internal Use Only. DHL ON

Notes: *Special Order - Lead time is required, minimum quantities apply. Sold in full bundles only. Closed-end coping units are closed on both ends so that they may be used as left or right units. Tie-back units are reinforced with steel. 1/2 Standard units are slightly tapered and can be used to create a 45 foot radius. Refer to terms and conditions for placement rates. Unilock, through Risi Stone® Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide this preliminary site engineering. All measurements are nominal. Contact Unilock for more information.



GRANITE



RIVER



SIERRA

	3 Unit	Corner
Bundle Type	RANDOM	SINGLE
Thickness (mm)	150MM	150MM
Dimension mm	320mm x 150mm x 230mm	
Dimension Imperial	12 5/8" x 5 7/8" x 9"	

FCFT PER	Bundle	24.00	16.66
	Layer	6.00000	4.17000
	Stone	0.50	0.52

PER BUNDLE	Layers	4.00	4.00
	Sections	4.00	4.00

LNFT PER	Bundle	42.56	33.28
	Unit	0.89	1.04

UNITS PER	SqFt	2.00	1.92
	Section	12.00	8.00
	Bundle	48.00	32.00

LBS PER	Layer	574	444
	Section	574	444
	Bundle	2,297	1,776

3 UNIT RANDOM BUNDLE



LARGE
9 x 16 x 6"
230 x 380 x 150mm



MEDIUM
9 x 12 x 6"
230 x 320 x 150mm



SMALL
8 x 9 x 6"
200 x 230 x 150mm



CORNER
9 x 12½ x 6"
230 x 320 x 150mm

Internal Use Only. EWL CH

Notes: 3" and 6" random wall bundles have convertible large units that can be used for corners or ending seat walls. End caps not sold separately. Ledgestone®, Brussels Block® XL, Brussels Fullnose® or 6" x 12" Fullnose complement as a possible coping. All measurements are nominal. Contact Unilock for more information.



RIVER

SIERRA

	3 Unit	Corner
Bundle Type	RANDOM	SINGLE
Thickness (mm)	75MM	75MM
Dimension mm	320mm x 150mm x 230mm	
Dimension Imperial	12 5/8" x 5 7/8" x 9"	

FCFT PER	Bundle	24.00	16.38
	Layer	3.00000	2.05000
	Stone	0.25	0.26

PER BUNDLE	Layers	8.00	8.00
	Sections	4.00	4.00

LNFT PER	Bundle	85.12	62.64
	Unit	0.89	0.98

UNITS PER	SqFt	4.00	3.91
	Section	24.00	16.00
	Bundle	96.00	64.00

LBS PER	Layer	301	229
	Section	602	457
	Bundle	2,408	1,828

3 UNIT RANDOM BUNDLE



LARGE
9 x 16 x 6"
230 x 380 x 75mm



MEDIUM
9 x 12 x 6"
230 x 320 x 75mm



SMALL
8 x 9 x 6"
200 x 230 x 75mm



CORNER
9 x 12½ x 6"
230 x 320 x 75mm

Internal Use Only. EWL CH

Notes: 3" and 6" random wall bundles have convertible large units that can be used for corners or ending seat walls. End caps not sold separately. Ledgestone®, Brussels Block® XL, Brussels Fullnose® or 6" x 12" Fullnose complement as a possible coping. All measurements are nominal. Contact Unilock for more information.



GRANITE BLEND

SIERRA

	4 Unit	Pillar / Corner
Bundle Type	RANDOM	SINGLE
Thickness (mm)	100MM	100MM
Dimension mm	400mm x 100mm x 200mm	
Dimension Imperial	15 3/4" x 3 7/8" x 7 7/8"	

FCFT PER	Bundle	29.92	48.24
	Layer	9.97000	16.08000
	Stone	0.50	0.67





PER BUNDLE	Layers	3.00	3.00
	Sections	-	-

LNFT PER	Bundle	89.06	96.00
	Unit	1.48	1.33

UNITS PER	SqFt	2.01	1.49
	Section	-	-
	Bundle	60.00	72.00

LBS PER	Layer	881	936
	Section	-	-
	Bundle	2,642	2,808

4 UNIT RANDOM BUNDLE

-  8 x 24 x 4"
200 x 600 x 100mm
-  8 x 20 x 4"
200 x 500 x 100mm
-  8 x 16 x 4"
200 x 400 x 100mm
-  8 x 12 x 4"
200 x 300 x 100mm



CORNER / PILLAR
8 x 16 x 4"
200 x 400 x 100mm

Internal Use Only. LDS CH

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. Spacing strips are shipped with random wall bundles to create even spacing between units. Ledgestone™, Unilock Natural Stone or 6"x12" Fullnose complement as possible coping options. All measurements are nominal. Contact Unilock for more information.



GRANITE

RIVER

SANDSTONE

SIERRA



STANDARD
8 x 12 x 6
200 x 300 x 150mm




TAPERED
8 x 12 x 6
200 x 300 x 150mm



CORNER
8 x 12 x 6
200 x 300 x 150mm



XL UNIT
12 x 16 x 6
300 x 400 x 150mm



COPING
12 x 12 x 3
300 x 300 x 75mm

	Standard	Tapered	Corner	XL Unit	Coping
Bundle Type	RANDOM	RANDOM	SINGLE	SINGLE	SINGLE
Thickness (mm)	150MM	150MM	150MM	150MM	75MM
Dimension mm	200mm x 150mm x 300mm	200mm x 150mm x 300mm	200mm x 150mm x 300mm	400mm x 150mm x 300mm	300mm x 75mm x 300mm
Dimension Imperial	7 7/8" x 5 7/8" x 11 7/8"	7 7/8" x 5 7/8" x 11 7/8"	7 7/8" x 5 7/8" x 11 7/8"	15 3/4" x 5 7/8" x 11 7/8"	11 7/8" x 3" x 11 7/8"

FCFT PER	Bundle	20.00	20.00	15.00	21.33	21.00
	Layer	6.67000	6.67000	5.00000	5.33000	3.00000
	Stone	0.33	0.33	0.83	0.67	0.25

PER BUNDLE	Layers	3.00	3.00	3.00	4.00	7.00
	Sections	2.00	2.00	3.00	4.00	2.00

LNFT PER	Bundle	40.00	40.00	-	42.67	84.00
	Unit	0.67	0.67	-	1.33	1.00

UNITS PER	SqFt	3.00	3.00	1.20	1.50	4.00
	Section	30.00	30.00	6.00	8.00	42.00
	Bundle	60.00	60.00	18.00	32.00	84.00

LBS PER	Layer	857	768	314	617	388
	Section	1,285	1,153	314	617	1,357
	Bundle	2,570	2,305	943	2,467	2,714

Internal Use Only. PS2 OH

Notes: **Universal Base & XL Wall units are single units and are sold in full bundles only.** When purchased by the full bundle, 12" Coping bundle has 16 units of closed-end coping (8 left and 8 right). Closed-end 12" coping not sold separately. Maximum height - 36" (under optimum conditions). Higher walls can be achieved using geogrid reinforcement. The set back on Pisa2 wall is ¼" every course or 1½" every 2 courses. Retaining wall engineering software is also available free of charge at www.unilock.com. Walls greater than 4' in height require professional engineering. Tapered Units allow for a minimum 5' Radius. All measurements are nominal. Contact Unilock for more information.



COASTAL SLATE



BUFF

ADVANTAGES

REALA™

Cast from natural stone



JUMPER CORNER UNIT
12 x 9-10 x 4 1/2"
300x 230-250 x 114mm



2013
WINNER

4 UNIT RANDOM BUNDLE



STANDARD UNIT 1
8 x 9-10 x 2 1/4"
200 x 230-250 x 57mm



STANDARD UNIT 2
12 x 9-10 x 2 1/4"
300 x 230-250 x 57mm



STANDARD UNIT 3
12 x 9-10 x 2 1/4"
300 x 230-250 x 57mm



STANDARD UNIT 4
17 x 9-10 x 2 1/4"
425 x 230-250 x 57mm

2 UNIT CORNER BUNDLE



LONG CORNER UNIT
17 1/2 x 9-10 x 2 1/4"
450 x 230-250 x 57mm



SHORT CORNER UNIT
14 1/2 x 9-10 x 2 1/4"
375 x 230-250 x 57mm

4 UNIT JUMPER BUNDLE



JUMPER UNIT 1
8 x 9-10 x 4 1/2"
200 x 230-250 x 114mm



JUMPER UNIT 2
12 x 9-10 x 4 1/2"
300 x 230-250 x 114mm



JUMPER UNIT 3
12 x 9-10 x 4 1/2"
300 x 230-250 x 114mm



JUMPER UNIT 4
17 x 9-10 x 4 1/2"
425 x 230-250 x 114mm



PILLAR UNIT
20 x 20 x 4 1/2"
500 x 500 x 114mm



PILLAR UNIT
Pillar cap sold separately

	Jumper Bundle	Random Bundle	Pillar Unit	Corner Jumper	Corner Bundle
Bundle Type	RANDOM	RANDOM	SINGLE	SINGLE	RANDOM
Thickness (mm)	114MM	57MM	114MM	114MM	57MM
Dimension mm			500mm x 114mm x 500mm	310mm x 114mm x 250mm	
Dimension Imperial			19 3/4" x 4 1/2" x 19 3/4"	12 1/4" X 4 1/2" X 9 7/8"	

FCFT PER	Bundle	24.30	24.30	-	21.60	16.21
	Layer	6.08000	3.04000	-	5.40000	4.05000
	Stone	0.38	0.19	-	0.68	0.41

PER BUNDLE	Layers	4.00	8.00	4.00	4.00	4.00
	Sections	-	-	-	-	-


LNFT PER	Bundle	65.34	130.69	-	-	-
	Unit	1.02	1.02	-	-	-

UNITS PER	SqFt	2.63	5.27	-	1.48	2.47
	Section	-	-	-	-	-
	Bundle	64.00	128.00	8.00	32.00	40.00


LBS PER	Layer	680	238	250	320	293
	Section	-	-	-	-	-
	Bundle	2,720	1,902	1,000	1,280	1,173

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** Rivercrest is recommended for walls under 2ft. Ideal for straight or curved walls, seat walls, pillars, tree rings, planters, firepits and grill islands. Integrated connectors require no pins or clips. Minimum radius using equal amounts of each unit is 1.25m / 4.1ft. Using only unit 1 & 3 a 1.055m / 3.5ft radius can be achieved. For more information, please consult the Rivercrest installation booklet. Retaining wall engineering software is also available free of charge at www.unilock.com. All measurements are nominal. Contact Unilock for more information. Unilock recommends using Ledgestone™ or Natural Stone coping for a complete and refined look.


Internal Use Only. RVC ON




Starting a Wall




Straight Wall - Align A-A / B-B



Course 2



Curved Wall - Align A-B / B-A




DESIGN STYLE

To accurately determine the number of standard and jumper units you will require, start by selecting an aesthetic option.



Option A
No Jumpers




Option B
Some Jumpers



Option C
Many Jumpers

JUMPER UNITS

In addition to being used to enhance sections of wall, jumper units can also be used in a variety of different ways within the Rivercrest Wall system. The Jumper Unit #2 has faces on three sides making it perfect for incorporating into pillars and corners. The unit can also be used when starting and ending seat walls.



For more information please consult the Rivercrest® installation booklet.



GRANITE

RIVER

SIERRA

	Corner	Standard	Tapered
Bundle Type	SINGLE	SINGLE	SINGLE
Thickness (mm)	150MM	150MM	150MM
Dimension mm	200mm x 150mm x 300mm	200mm x 150mm x 300mm	200mm x 150mm x 300mm
Dimension Imperial	7 7/8" x 5 7/8" x 11 7/8"	7 7/8" x 5 7/8" x 11 7/8"	7 7/8" x 5 7/8" x 11 7/8"

FCFT PER	Bundle	20.00	19.98	19.98
	Layer	6.67000	6.66000	6.66000
	Stone	0.83	0.33	0.33

PER BUNDLE	Layers	3.00	3.00	3.00
	Sections	2.00	2.00	2.00

LNFT PER	Bundle	-	40.00	39.99
	Unit	-	0.67	0.67

UNITS PER	SqFt	1.20	3.00	3.00
	Section	12.00	30.00	30.00
	Bundle	24.00	60.00	60.00

LBS PER	Layer	343	857	750
	Section	514	1,285	1,126
	Bundle	1,028	2,570	2,251



CORNER
12" x 6" x 8"
300 x 150 x 200mm



STANDARD
8" x 6" x 12"
200 x 150 x 30mm



TAPERED
8" x 6" x 12"
200 x 150 x 30mm

Notes: Maximum height - 48" (under optimum conditions). Higher walls can be achieved using geogrid reinforcement. All measurements are nominal. Corners are sold as double units (one left and one right). **On average, each bundle contains 7 closed-end coping units. Unilock, through Risi Stone® Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide this preliminary site engineering. Contact your local Unilock representative for details. Retaining wall engineering software is also available free of charge at www.unilock.com. All measurements are nominal.

Internal Use Only. RPA OH



GRANITE



RIVER



SIERRA

	Wedge
Bundle Type	SINGLE
Thickness (mm)	100MM
Dimension mm	200mm x 100mm x 200mm
Dimension Imperial	7 7/8" x 3 7/8" x 7 7/8"



WEDGE UNIT
8 x 8 x 4"
200 x 200 x 100mm

FCFT PER	Bundle	31.68
	Layer	5.28000
	Stone	0.22

PER BUNDLE	Layers	6.00
	Sections	-

LNFT PER	Bundle	94.49
	Unit	0.66

UNITS PER	SqFt	4.55
	Section	-
	Bundle	144.00

LBS PER	Layer	393
	Section	-
	Bundle	2,357

Notes: Maximum height – 20" (under optimum conditions) including materials below grade. Radius - minimum outside radius 29.5". All measurements are nominal.

Internal Use Only. RST OH



NATURAL



STANDARD 925
36½ x 39 x 7⅜"
925 x 1000 x 185mm
SPECIAL ORDER



STANDARD 333
13½ x 39 x 7⅜"
333 x 1000 x 185 mm
SPECIAL ORDER



STANDARD 500
20 x 39 x 7⅜"
500 x 1000 x 185mm



CORNER 90° (left & right)
20 x 36½ x 7⅜"
500 x 925 x 185mm
SPECIAL ORDER



COPING
20 x 39 x 7⅜"
500 x 1000 x 185mm

	Standard 925 Split	Corner 333 Split	Standard 500	Corner Split	Coping
Bundle Type	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
Thickness (mm)	185MM	185MM	185MM	185MM	185MM
Dimension mm	1,000mm x 185mm x 925mm	1,000mm x 185mm x 333mm	1,000mm x 185mm x 500mm	925mm x 185mm x 500mm	1,000mm x 185mm x 500mm
Dimension Imperial	39 3/8" x 7 3/8" x 36 1/2"	39 3/8" x 7 3/8" x 13"	39 3/8" x 7 3/8" x 19 3/4"	36 1/2" x 7 3/8" x 19 3/4"	39 3/8" x 7 3/8" x 19 3/4"

FCFT PER	Bundle	6.00	18.00	12.00	17.19	12.00
	Layer	2.00000	6.00000	4.00000	5.73000	4.00000
	Stone	2.00	2.00	2.00	2.87	2.00

PER BUNDLE	Layers	3.00	3.00	3.00	3.00	3.00
	Sections	3.00	-	3.00	3.00	3.00

LNFT PER	Bundle	9.75	-	19.50	-	19.50
	Unit	3.25	-	3.25	-	3.25

UNITS PER	SqFt	0.50	0.50	0.50	0.35	0.50
	Section	1.00	-	2.00	2.00	2.00
	Bundle	3.00	9.00	6.00	6.00	6.00

LBS PER	Layer	942	864	878	834	954
	Section	942	-	878	834	954
	Bundle	2,827	2,592	2,635	2,502	2,863

Internal Use Only. SST OH

Notes: * Special Order - Lead time is required, minimum quantities apply. All Special Order items are sold in full bundles only. Coping units can be used to construct steps. Retaining wall engineering software is also available free of charge at www.unilock.com. All measurements are nominal. Contact Unilock for more information.



GRANITE



RIVER



SIERRA

Bundle Type	WEDGE UNIT
Thickness (mm)	100MM
Dimension mm	200mm x 100mm x 200mm
Dimension Imperial	7 7/8" x 3 7/8" x 7 7/8"



WEDGE UNIT
8 x 8 x 4"
200 x 200 x 100mm

FCFT PER	Bundle	32.30
	Layer	6.46000
	Stone	0.22

PER BUNDLE	Layers	5.00
	Sections	25.00

LNFT PER	Bundle	87.50
	Unit	0.58

UNITS PER	SqFt	4.64
	Section	6.00
	Bundle	150.00

LBS PER	Layer	522
	Section	104
	Bundle	2,611

Notes: Maximum height - 20" (under optimum conditions) including material below grade. Radius - minimum outside radius 29". All measurements are nominal.

Internal Use Only. RST OH



PITCHED FINISH



SIERRA



GRANITE FUSION **NEW**



RIVER

SERIES™ FINISH



ONYX BLACK 3" PANEL ONLY **NEW**

SMOOTH FINISH



CREAM



GRANITE FUSION **NEW**



GRAPHITE



OPAL

UMBRIANO FINISH



FRENCH GREY




MIDNIGHT SKY




SUMMER WHEAT



WINTER MARVEL




1/2 Running Bond




1/2 Running Bond with Linear Accents



1/2 Running Bond with Random Accents




1/2 Running Bond with Paver Accents




Mixed Bond



1/3 Running Bond



Stacked Bond



Stacked Bond with Accents



U-Cara Fascia Panels can be placed anywhere along the patented SureTrack™ Backer Block, allowing for pattern, color and texture combinations that are impossible to achieve with other systems. The design possibilities are endless for single or double sided vertical landscape features and retaining walls.



**SURE TRACK
STANDARD BACKER**
6 x 8 x 6"
150 x 200 x 150mm



**SURE TRACK
LARGE BACKER**
6 x 7 x 12"
150 x 175 x 300mm



**SURE TRACK
CORNER INSERT**
L = 2"
50mm

RECOMMENDED BASE UNIT



UNIVERSAL BASE UNIT
14 x 19 x 2"
355 x 482 x 55mm

ADVANTAGES

**UMBRIANO® FINISH
COLORFUSION™**
Subtly mottled color finish

SERIES™ FINISH
Granite, Quartz and Marble
surface materials

	Standard Backer	Large Backer	Sure Track Corner Insert	Universal Base Unit
Bundle Type	SINGLE	SINGLE	SINGLE	SINGLE
	OHIO	OHIO		OHIO
Thickness (mm)	150MM	150MM	0MM	55MM
Dimension mm	200mm x 150mm x 150mm	175mm x 150mm x 300mm		482mm x 55mm x 355mm
Dimension Imperial	7 7/8" x 5 7/8" x 5 7/8"	6 7/8" x 5 7/8" x 11 7/8"		19" x 2 1/4" x 14"

FCFT PER	Bundle	33.91	15.82	-	110.51
	Layer	11.30000	3.96000	-	11.05000
	Stone	0.32	0.28	-	1.84

PER BUNDLE	Layers	3.00	4.00	-	10.00
	Sections	-	-	-	-

LNFT PER	Bundle	69.99	-	-	95.00
	Unit	0.67	-	-	1.58

UNITS PER	SqFt	3.10	3.54	-	0.54
	Section	-	-	-	-
	Bundle	105.00	56.00	-	60.00

LBS PER	Layer	773	498	-	278
	Section	-	-	-	-
	Bundle	2,320	1,992	-	2,780

Internal Use Only. UCA OH

Notes: Sold in full bundles. Produced and sold on a required refundable skids. Sure Track Large Backer Units when used as corners in a pillar application, can achieve 42 FFI/bundle or .757 FFI/unit.



3" FASCIA PANEL
 3 x 9¼ x 2¾"
 75 x 233 x 60mm
SERIES & SMOOTH ONLY



STANDARD FASCIA PANEL
 6 x 18½ x 2¾"
 150 x 466 x 60mm
PITCHED & SMOOTH

CORNER BUNDLE



STANDARD FASCIA HALF PANEL
 6 x 9¼ x 2¾"
 150 x 233 x 60mm
PITCHED & SMOOTH



CLOSED-END FASCIA PANEL
 6 x 21 x 2¾"
 150 x 540 x 60mm
PITCHED & SMOOTH

		3" Fascia Panel
Bundle Type		SINGLE
		CHICAGO
Thickness (mm)		75MM
Dimension mm		233mm x 75mm x 60mm
Dimension Imperial		9 1/4" x 3" x 2 3/8"

FCFT PER	Bundle	63.20
	Layer	10.53000
	Stone	0.19

PER BUNDLE	Layers	6.00
	Sections	-

LNFT PER	Bundle	-
	Unit	-

UNITS PER	SqFt	5.32
	Section	-
	Bundle	336.00

LBS PER	Layer	250
	Section	-
	Bundle	1,501

	Standard Fascia Smooth	Standard Fascia Umbriano	Standard Fascia Pitched	Standard Closed-End Smooth	Standard Closed-End Umbriano	Standard Closed-End Pitched
Bundle Type	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
	OHIO	GEORGETOWN1	OHIO	OHIO	GEORGETOWN1	OHIO
Thickness (mm)	150MM	150MM	150MM	150MM	150MM	150MM
Dimension mm	466mm x 150mm x 60mm	466mm x 150mm x 60mm	466mm x 150mm x 60mm			
Dimension Imperial	18 3/8" x 5 7/8" x 2 3/8"	18 3/8" x 5 7/8" x 2 3/8"	18 3/8" x 5 7/8" x 2 3/8"			

FCFT PER	Bundle	61.52	61.52	61.52	54.18	54.18	54.18
	Layer	10.25000	10.25000	10.25000	9.03000	9.03000	9.03000
	Stone	0.73	0.73	0.73	1.29	1.29	1.29

PER BUNDLE	Layers	6.00	6.00	6.00	6.00	6.00	6.00
	Sections	-	-	-	-	-	-

LNFT PER	Bundle	129.50	-	129.50	89.94	107.94	107.94
	Unit	1.54	-	1.54	2.14	2.57	2.57

UNITS PER	SqFt	1.37	1.37	1.37	0.78	0.78	0.78
	Section	-	-	-	-	-	-
	Bundle	84.00	84.00	84.00	42.00	42.00	42.00


LBS PER	Layer	266	252	302	207	207	236
	Section	-	-	-	-	-	-
	Bundle	1,598	1,513	1,809	1,240	1,240	1,415

Internal Use Only. UCA OH


Notes: Sold in full bundles. Produced and sold on a required refundable skids. Sure Track Large Backer Units when used as corners in a pillar application, can achieve 42 FFT/bundle or .757 FFT/unit.

U-Cara® Modular System **New**

The U-Cara Modular System offers a variety of aluminum frames that can be mixed and matched to construct vertical features like grill islands. Speak to your contractor to select a design and a U-Cara fascia panel finish to suit your project.



With the U-Cara Modular System you can build Grill Islands, Bars, Back splashes, Fire Tables and Pillars.



NO.	DESCRIPTION
RS-UCARA000001	URS UCARA 8' RAIL 10/PACK
RS-UCARA000002	URS ALIGNMENT BARS 39"(10/PACK)
RS-UCARA001000	UCS UNIVERSAL GRILL CABINET
RS-UCARA002000	UCS BASE CABINET
RS-UCARA003000	UCS CORNER CABINET 27.5" x 27.5"
RS-UCARA003001	UCS CORNER CABINET 27.5" x 36.5" OS
RS-UCARA004000	UCS END CLAD KIT 27.5"
RS-UCARA004001	UCS END CLAD KIT 36.5" OS
RS-UCARA005000	UCS BACKSPLASH-GRILL/BASE UNIT
RS-UCARA005001	UCS BACKSPLASH CORNER CABINET
RS-UCARA005002	UCS BACKSPLASH CORNER CABINET OS
RS-UCARA006000	UCS STAINLESS DOUBLE ACCESS DOORS 27"

LOOKING FOR MORE INFORMATION?

Visit Unilock.com to download the U-Cara Modular System Brochure.



U-Cara[®] Rail System **New**



The U-Cara Wall Mount System allows you to put the finishing touches on your project by cladding existing structures like unsightly exposed foundation areas or concrete steps with U-Cara fascia panels.



U-CARA ALIGNMENT BAR:
39" LENGTH - SOLD IN PACKS OF 10 PIECES

U-CARA ALIGNMENT RAILS:
8' LENGTH - SOLD IN PACKS OF 10 PIECES



Brussels Fullnose™ & Double Fullnose

CLASSIC



DARK CHARCOAL
CLASSIC FINISH ONLY



LIMESTONE



SANDSTONE



SIERRA

	Fullnose	Double Fullnose
Bundle Type	SINGLE	SINGLE
Thickness (mm)	70MM	70MM
Dimension mm	150mm x 300mm x 70mm	150mm x 300mm x 70mm
Dimension Imperial	5 7/8" x 11 7/8" x 2 3/4"	5 7/8" x 11 7/8" x 2 3/4"

FCFT PER	Bundle	-	-
	Layer	-	-
	Stone	-	-

PER BUNDLE	Layers	8.00	8.00
	Sections	4.00	4.00

LNFT PER	Bundle	80.00	80.00
	Unit	0.50	0.50

UNITS PER	SqFt	-	-
	Section	40.00	40.00
	Bundle	160.00	160.00

LBS PER	Layer	297	297
	Section	594	594
	Bundle	2,376	2,376



STANDARD ANTIQUED
6 x 12 x 2 3/4"
150 x 300 x 70mm



STANDARD CLASSIC
6 x 12 x 2 3/4"
150 x 300 x 70mm



DOUBLE FULLNOSE
ANTIQUED
6 x 12 x 2 3/4"
150 x 300 x 70mm



DOUBLE FULLNOSE
CLASSIC
6 x 12 x 2 3/4"
150 x 300 x 70mm

Internal Use Only. BFN CH



BUFF



GREY

ADVANTAGES


REALA™ Surface Technology
Ultra-realistic textures cast from natural stone, brick and historic cobblestones.




COPING UNIT
12 x 24 x 2 3/4"
305 x 610 x 70mm



CLOSED-END COPING
12 x 24 x 2 3/4"
305 x 610 x 70mm



FULLNOSE COPING
12 x 24 x 2 3/8"
305 x 610 x 60mm



LARGE COPING UNIT
30 x 13.5 x 2 3/4"
1220 x 610 x 70mm



LARGE CLOSED-END COPING
30 x 13.5 x 2 3/4"
1220 x 610 x 70mm

	LDG	LDG	LDG	LDG	LDG
Bundle Type	SINGLE	SINGLE	SINGLE	SINGLE	SINGLE
Thickness (mm)	70MM	70MM	60MM	70MM	70MM
Dimension mm	610mm x 70mm x 305mm	610mm x 70mm x 305mm	610mm x 60mm x 305mm	762mm x 70mm x 343mm	762mm x 70mm x 343mm
Dimension Imperial	24" x 2 3/4" x 12"	24" x 2 3/4" x 12"	24" x 2 3/8" x 12"	30" x 2 3/4" x 13 1/2"	30" x 2 3/4" x 13 1/2"

FCFT PER	Bundle	5.52	5.52	5.12	6.87	6.87
	Layer	1.38000	1.38000	0.39000	1.72000	1.72000
	Stone	0.46	0.46	0.39	0.57	0.57

PER BUNDLE	Layers	4.00	4.00	13.00	4.00	4.00
	Sections	-	-	-	-	-

LNFT PER	Bundle	24.00	24.00	26.00	30.00	30.00
	Unit	2.00	2.00	2.00	2.50	2.50

UNITS PER	SqFt	2.18	2.18	2.54	1.75	1.75
	Section	-	-	-	-	-
	Bundle	12.00	12.00	13.00	12.00	12.00

LBS PER	Layer	193	199	56	282	279
	Section	-	-	-	-	-
	Bundle	772	796	723	1,128	1,116


Internal Use Only. LDG CH

Notes: Produced and sold on a required, refundable skid. Coping is rock faced on the front and the back; Closed-end coping and steps are rock faced on three sides. See page 84 for caulk information. All measurements are nominal. Contact Unilock for more information.

Ledgestone™ Pillar Caps & Steps



BUFF



GREY

ADVANTAGES

REALA™ Surface Technology


Ultra-realistic textures cast from natural stone, brick and historic cobblestones.




48" LEDGESTONE STEP
48 x 24 x 6"
1220 x 610 x 152mm



72" LEDGESTONE STEP
72 x 24 x 6"
1830 x 610 x 152mm



24" PILLAR CAP
24 x 24 x 3 7/8"
610 x 610 x 100mm



29" LINEO PILLAR CAP
29 1/8 x 29 1/8 x 3 7/8"
740 x 740 x 100mm

	48" Step	72" Step	24" Pillar Cap	29" Pillar Cap
Bundle Type	SINGLE	SINGLE	SINGLE	SINGLE
Thickness (mm)	150MM	150MM	100MM	100MM
Dimension mm	1,220mm x 150mm x 610mm	1,830mm x 300mm x 360mm	610mm x 100mm x 610mm	740mm x 100mm x 740mm
Dimension Imperial	48" x 5 7/8" x 24"	72" x 5 7/8" x 24"	24" X 3 7/8" X 24"	29 1/8" X 3 7/8" X 29 1/8"

FCFT PER	Bundle	5.91	8.86	3.28	-
	Layer	1.97000	2.95000	0.66000	-
	Stone	1.97	2.95	0.66	-

PER BUNDLE	Layers	3.00	3.00	5.00	5.00
	Sections	-	-	-	-

LNFT PER	Bundle	12.00	18.00	10.04	-
	Unit	4.00	6.00	2.01	-

UNITS PER	SqFt	0.51	0.34	1.52	-
	Section	-	-	-	-
	Bundle	3.00	3.00	5.00	5.00

LBS PER	Layer	574	860	159	302
	Section	-	-	-	-
	Bundle	1,721	2,581	795	1,510

Internal Use Only. LDG CH/ON

Notes: Produced and sold on a required, refundable skid. Coping is rock faced on the front and the back; Closed-end coping and steps are rock faced on three sides. See page 84 for caulk information. All measurements are nominal. Contact Unilock for more information.



GRANITE



NATURAL



NEVADA

Bundle Type	Coping Split	Coping Split
	SINGLE	SINGLE
Thickness (mm)	185MM	185MM
Dimension mm	1,000mm x 185mm x 500mm	1,200mm x 185mm x 500mm
Dimension Imperial	39 3/8" x 7 3/8" x 19 3/4"	47 1/4" x 7 3/8" x 19 3/4"

FCFT PER	Bundle	12.00	14.43
	Layer	4.00000	4.81000
	Stone	2.00	2.41

PER BUNDLE	Layers	3.00	3.00
	Sections	3.00	3.00

LNFT PER	Bundle	19.50	23.70
	Unit	3.25	3.95

UNITS PER	SqFt	0.50	0.42
	Section	2.00	2.00
	Bundle	6.00	6.00

LBS PER	Layer	954	1,140
	Section	954	1,140
	Bundle	2,863	3,420



COPING
20 x 39 x 7 3/8"
500 x 1000 x 185mm
In Natural only



CLOSED-END COPING
20 x 48 x 7 3/8"
500 x 1000 x 185mm

Internal Use Only. SST OH / ON

Notes: * Special Order - Lead time is required, minimum quantities apply. All Special Order items are sold in full bundles only. Coping units can be used to construct steps. Retaining wall engineering software is also available free of charge at www.unilock.com. All measurements are nominal. Contact Unilock for more information.

Universal Coping



CREAM



GRAPHITE



OPAL



UNIVERSAL COPING
19 x 14 x 2 3/4"
482 x 355 x 70mm

UNIVERSAL COPING	
Bundle Type	SINGLE
Thickness (mm)	70MM
Dimension mm	482mm x 70mm x 355mm
Dimension Imperial	19" x 2 3/4" x 14"

FCFT PER	Bundle	13.08
	Layer	2.18000
	Stone	0.36

PER BUNDLE	Layers	6.00
	Sections	-

LNFT PER	Bundle	56.93
	Unit	1.58

UNITS PER	SqFt	2.75
	Section	-
	Bundle	36.00

LBS PER	Layer	353
	Section	-
	Bundle	2,118

Internal Use Only. LDG CH

Notes: Sold in full bundles only on a required, refundable pallet. All measurements are nominal. Contact Unilock for more information.

Sunset Fire Pit Kit

CLASSIC



COFFEE CREEK



LIMESTONE



RIVER



SANDSTONE



SIERRA

This fire pit kit uses Brussels Dimensional Stone® (small tapered units).

ROUND



SQUARE



Bundle Type	SQUARE W/INSERT CLASSIC	ROUND W/INSERT CLASSIC
Thickness (mm)	300MM	300MM
Dimension mm	1,100mm x 1,100mm x 300mm	1,300mm x 1,300mm x 300mm
Dimension Imperial	43 3/8" x 43 3/8" x 11 7/8"	51 1/4" x 51 1/4" x 11 7/8"

DIAMETER (INCH)	Outside	44.00	52.00
	Inside	28.00	34.00
	Insert	36.00	34.00

	Layer per Unit	3.00	3.00
	Unit per Layer	12.00	18.00
	Unit Per Pallet	36.00	54.00

	Lbs per Pallet	1,545	1,145
--	----------------	-------	-------

Notes: All measurements are nominal. Add 20 lbs. to weight when ordering grill unit for Sunset Fire Pits. Contact Unilock for more information.

Rivercrest® Fire Pit Kit

STONEMARK™



COASTAL SLATE
RS-CON063



BUFF
RS-CON061



Diameter - 54"/1371.6mm



FIRE PIT GRILL

Fire pit grill is included and fits securely into the firepit.

Bundle Type	ROUND W/GRILL & INSERT
Thickness (mm)	405MM
Dimension mm	0mm x 1,370mm x 405mm
Dimension Imperial	0" x 53 7/8" x 15 7/8"

DIAMETER (INCH)	Outside	54.00
	Inside	36.00
	Insert	-


	Layer per Unit	4.00
	Unit per Layer	3.00
	Unit Per Pallet	12.00

	Lbs per Pallet	1,512
--	----------------	-------

Notes: All measurements are nominal.


Laying Patterns

ARTLINE™




ARTLINE™ RANDOM - 100% Random Bundle

BRUSSELS BLOCK®




BRUSSELS BLOCK™ Y - 57% XL, 29% Standard, 14% Half




BRUSSELS BLOCK Z - 67% XL, 20% Standard, 13% Half

COURTSTONE®




COURTSTONE A - 16% Sq., 18% Sm. Rec., 19% Rec., 22% Lg. Rec., 25% XL Rec.

COPTHORNE®




COPTHORNE A - 100% Standard




COPTHORNE B - 100% Standard

HOLLANDSTONE™ & HOLLAND PREMIER™




HOLLANDSTONE/HOLLAND PREMIER D - 100% Standard

MATTONI™




MATTONI A - 100% Standard




MATTONI B - 100% Standard


BEACON HILL®



BEACON HILL™ RANDOM A - 40% Large Rectangle, 40% Square, 20% Small Rectangle




BEACON HILL™ RANDOM B - 40% Large Rectangle, 40% Square, 20% Small Rectangle




BEACON HILL™ G - 50% Random Bundle, 50% XL Unit

BRISTOL VALLEY®




BRISTOL VALLEY™ RANDOM A - 40% Large Rectangle, 20% Small Rectangle, 40% Square




BRISTOL VALLEY™ RANDOM B - 40% Large Rectangle, 20% Small Rectangle, 40% Square

NATURAL STONE




NATURAL STONE E - 57% 24 x 36", 19% 24 x 24", 14% 18 x 24" 10 % 12 x 24"




NATURAL STONE D - 43% 18 x 24", 57% 12 x 24"

Laying Patterns


RICHCLIFF®




RICHCLIFF A - 53% 12 x 9", 20% 9 x 9",
27% 6 x 9"



RICHCLIFF B - 53% 12 x 9", 20% 9 x 9",
27% 6 x 9"




RICHCLIFF E - 45% Random Bundle,
55% Large Rectangle




RICHCLIFF F - 45% Random Bundle,
55% Large Rectangle

TOWN HALL®




TOWN HALL A - 100% Standard




TOWN HALL B - 100% Standard

BOULEVARD™




BOULEVARD A - 50% Large Rectangle,
25% Medium Rectangle, 25% Square

PROMENADE™ PLANK




PROMENADE PLANK PAVES G - 20% 4 x 12", 40%
4 x 16", 8% 8 x 24"

THORNBURY™




THORNBURY A - 49% Large Rectangle, 34%
Medium Rectangle, 17% Small Rectangle




THORNBURY C - 49% Large Rectangle, 34%
Medium Rectangle, 17% Small Rectangle

UMBRIANO®




UMBRIANO RANDOM A - 40% Large Rectangle,
40% Square, 20% Small Rectangle




UMBRIANO RANDOM B - 40% Large Rectangle,
40% Square, 20% Small Rectangle

RIVENSTONE™




RIVENSTONE A - 45% 24 x 24", 33% 18 x 24",
22% 12 x 24"

TREO® PREMIER



TREO PREMIER A - 100% Random Bundle

TRIBECA COBBLE™



TRIBECA COBBLE - 100% Random Bundle

Unilock Elements

TUSCANY

Large decorative accents adorn the top of the Tuscany fireplace. Brussels Block® Fullnose is used to construct the ledges and mantle of the fireplace.



Tuscany Sierra with Copthorne® **



Tuscany Sandstone with Copthorne® **
SPECIAL ORDER



Barcelona River with Richcliff® **
SPECIAL ORDER

BARCELONA SPECIAL ORDER

Wide elegant archways and accents over the fireplace and wood boxes constructed. Mantles and ledges in the Barcelona series are made of LedgeStone™.

MODA

SPECIAL ORDER



The Moda pre-built fireplace is constructed from Lineo Dimensional Stone and Series™ accent.

BELLA

SPECIAL ORDER



The Bella pre-built fireplace is constructed from Rivercrest® Wall.



BELLA GRILL

SPECIAL ORDER



The Bella grill is constructed from Rivercrest® Wall.

TUSCANY FIREPLACE



**Units and measurements may not be exactly as shown.

CUSTOM ACCENTS



Copthorne®



Courtstone®



Richcliff®



Umbriano®

** Units and measurements may not be exactly as shown.

Unilock Elements

SPECIAL ORDER PRODUCT

UNILOCK ELEMENTS ARE AVAILABLE IN TUSCANY AND BARCELONA SERIES



HEARTH
Hearth with gentle curved front.
1025 lbs



WOOD BOXES
Sold as a set of two and flank either side of the gas or standard fireplace.
3750 lbs per set



FIREPLACE
Two piece set (base and chimney), and it comes with stainless fire box.
5620 lbs




GRILL ISLAND
Available with OCS Grill, protective cover, and stainless double door insert.
3800 lbs



BRICK OVEN
Two piece set (wood box base, brick oven), and it comes with metal termination cap, pipe and cooking utensils.

TUSCANY & BARCELONA PIZZA OVEN



Guarantee: The standard Unilock guarantee applies to the units used to construct Unilock Elements. (See Unilock literature for details.) Third party grills and fireboxes carry their respective manufacturer's warranty and may change without notice.

Note: Unilock reserves the right to change model designs, accessories and colors without notice. Unilock will not be responsible for improper use or handling that results in property damage. Some models may not be exactly as shown. Fireplaces come complete with UL-approved stainless steel fireboxes. Check local building codes and regulations prior to ordering and installing Unilock Elements.

**Units and measurements may not be exactly as shown.

Paver Cleaners



POLYBIND™ OIL & GREASE CLEANER

Polybind Oil & Grease Cleaner is effective in removing oil and grease from the surface of concrete pavers and natural stones. Easy to use - dissolves, dislodges and removes oil and grease. No hydrochloric acid in product - washes off with water.

Packaging • 1 quart container (6 per carton, 24 cartons per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



POLYBIND™ EFFLORESCENCE CLEANER

Polybind Efflorescence Remover will remove any efflorescence stains trapped in the concrete paver and natural stone pores. It will make the pavers look more clean and vibrant. This efflorescence cleaning is a necessary step before a sealer is applied. The sealer will be able to get a deeper penetration into the now-clean pores.

Packaging • 1 & 5 gallon • Box of 4 x 1 US gallon (24 1 gal boxes & 48 5 gal pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



POLYBIND™ RUST CLEANER

Polybind Rust Cleaner is effective in removing rust from the surface of concrete pavers. Contains no muriatic acid.

Packaging • 1 quart container (6 per carton, 24 cartons per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



POLYBIND™ RUBBER, PAINT & TAR REMOVER

Polybind Rubber, Paint & Tar Remover is effective in removing rubber, paint and tar from the surface of concrete pavers and natural stone. Easily washes off with water and is easy to use.

Packaging • 1 quart container (6 per carton, 24 cartons per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.

Natural Stone Cleaners



NEW UNICARE NATURAL STONE ACID CLEAN

1L and 5L

Removal of:

- Cement Staining
- Efflorescence
- Iron Oxide (Rust)
- Cement mortar
- Grout

Note: Never use hydrochloric or sulphuric acid based products. **ONLY FOR ACID RESISTANT STONE.**

Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



NEW UNICARE NATURAL POWER CLEAN

1L and 5L

Removal of:

- Oil & Grease
- Food Stains
- General Dirt & Mud
- Light cement contamination (on acid sensitive surfaces)
- Sap & certain plant stains

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



NEW UNICARE BIOCLEAN

1L and 5L

Removal of:

- Black spot algae
- Green algae
- Plant stains from leaves, wood, trees, berries & flowers
- Organic staining from bark & compost
- Colored stains from food spillages, tea, coffee and wine

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.

Sealers



POLYBIND™ WET LOOK SEALER

Polybind Wet Look Sealer is made from acrylic-based polymers. It penetrates deep into the concrete paver and natural stone pores, thus reducing the oil and dirt penetration, as well as protecting them from the corrosion of de-icing salt.

Packaging • 1 and 5 gallon available • Box of 4 x 1 US gallon (24 1 gal boxes & 48 5 gal pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



POLYBIND™ SATIN LOOK SEALER

Polybind Seal Satin Look is made from acrylic-based polymers. It penetrates deep into the concrete paver and natural stone pores, thus reducing the oil and dirt penetration, as well as protecting them from the corrosion of de-icing salt. Low-gloss matte finish, solvent-based.

Packaging • 1 and 5 gallon available • Box of 4 x 1 US gallon (24 1 gal boxes & 48 5 gal pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



POLYBIND™ ECO SEAL LOW GLOSS

Polybind Eco Seal Low Gloss is 100% pure, high-grade acrylic used to seal concrete pavers, clay pavers and natural stone. It penetrates deep into the pavers and natural stone pores, thus reducing the oil and dirt penetration, as well as protecting them from the corrosion of de-icing salt.

Packaging • 1 and 5 gallon available • Box of 4 x 1 US gallon (24 1 gal boxes & 48 5 gal pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



POLYBIND™ ECO SEAL HIGH GLOSS

Polybind Eco Seal High Gloss is 100% pure, high-grade acrylic used to seal concrete pavers, clay pavers and natural stone. It penetrates deep into the pavers and natural stone pores, thus reducing the oil and dirt penetration, as well as protecting them from the corrosion of de-icing salt.

Packaging • 1 and 5 gallon available • Box of 4 x 1 US gallon (24 1 gal boxes & 48 5 gal pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.

Natural Stone Sealers



NEW UNICARE NATURAL STONE NATMATTE SEALER

1L and 5L

For Porous Stones

• No change of color • No surface coating, sheen or shine at all • Riven Sandstone & Smooth Sandstone

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



NEW UNICARE NATURAL STONE NATCOLORENHANCE SEALER

1L and 5L

Color Enhancement For Porous Stones

• No surface coating, sheen or shine • Breathable • Lasts several years • Easy to apply

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.

Sealers



SUREBOND 1300 JOINT SAND STABILIZING SEALER - MATTE FINISH

Surebond Joint Stabilizing Sealer is an epoxy modified, single component VOC, EPA and OSHA compliant, solvent-free penetrating sealer that provides protection to interlocking paving stone installations against salt spray, acid rain, food and beverage stains, and other oxidizers. It binds joint sand together and ensures the integrity of the pavements by forming a homogeneous, flexible surface that stops erosion and joint sand failure in large paver installations. The sealer is also used to seal retaining walls and for concrete and aggregate and split-face stone to protect against staining salt spray and acid rain damage and discoloration for architectural, industrial, and residential installations.

Packaging: • 1 and 5 gallon containers available • 55 gallon drum available on special order.

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



SUREBOND 7700 JOINT STABILIZING SEALER - GLOSS FINISH WITH ANTIFUNGAL PROTECTION

Seals the surface and bonds joint sand between interlocking concrete pavers. Protects colored, stained and exposed aggregate concrete from staining. Resists acid, salt, other corrosives and weathering. Stabilizing Sealer is water based, single component and epoxy-modified. It exceeds all VOC and EPA standards. The product is non-hazardous and has the consistency of water. It is milky white in appearance when applied, and dries crystal clear creating a semi-gloss finish.

Packaging: • 1 and 5 gallon available • 55 gallon drum available on special order

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



SUREBOND 8700 WET LOOK JOINT SAND STABILIZER WITH FUNGICIDE

SB-8700 is an advanced premium acrylic sealer that will not yellow under exposure to sunlight. It's a 2 in 1 product; it protects the substrate surface and stabilizes jointing sand at the same time. Specially formulated with antifungal agents designed to help inhibit the growth of mold, fungi and moss on horizontal pavement surfaces, it forms a tenacious bond to the concrete or masonry surface. Wet look, Rain safe within 90 minutes, water repellent, breathable, solvent based.

Packaging:

- 1 gallon container
- 5 gallon pail (36 per skid)
- 55 gallon container (4 per skid)
- Box of 4 x 1 gallon containers (4 x 1 US gal)
- 36 cases per skid (of 1 gal)
- 80-120 sq.ft. coverage per gallon for pavers (approx.)*
- 100-300 sq.ft. coverage per gallon for natural stone (approx.)*

Adhesives



UNILOCK SB-10 ADHESIVE

10 oz - ADH009-1 / 28 oz RS-ADH015-1

10 oz. Tube: 20' at 1/4" bead (12/Case)(140 cs/skid) 28 oz. Tube: 52' at 1/4" bead (12/Case)(60 cs/skid)

SPECIFICATIONS - (Conforms to UN-STD. 1804, ASTM 2339-70& FHA UM-60)

Color: Natural Sand Color

Base: Rare Earths & High Strength Synthetic Rubbers & Resins

Weight: Over 8 lbs. Per Gallon (24 Cartridges at 26 lbs.)

Packaging: 1/10th Gallon Cartridges (10.5 Fl.Oz.)/12 per case

Staining: None

CLEANUP - Use mineral spirits or chlorinated solvents - read solvent suppliers caution notes for use of this product.

STORAGE - Store in cool place - Rotate stock - Keep at 70°F for 24 hours before use in cold weather. Store cartridges in upright position.



POLYBIND HIGH STRENGTH HP LOW VOC ADHESIVE

10 oz. Tube: (12/Case)(90 cs/skid) 28 oz. Tube: (12/Case) (60 cs/skid)

SPECIFICATIONS - (Exceeds ASTM D3498 and ASTM C557)

This is one of the strongest polyurethane adhesives on the market and is specially formulated for bonding concrete, natural stones, block, bricks and pavers. It is intended to provide a permanent bond to approved materials and can be used on dry or humid surfaces. Drying times vary depending on factors such as humidity, porosity, temperature and materials bonded together. VOC compliant / Low odor / Non-shrinking / Fast curing. Environmentally friendly, it replaces solvent-based adhesives and is safe to use indoors or outdoors.



POLYBIND EXTRA PERFORMANCE ADHESIVE

10 oz. Tube: (12/Case)(90 cs/skid) 28 oz. Tube: (12/Case) (60 cs/skid)

SPECIFICATIONS

This is one of the strongest polyurethane adhesives on the market. It is especially formulated for bonding concrete, natural stones, blocks, bricks and pavers. It is intended to provide a permanent bond to approved materials and can be used on dry or humid surfaces. VOC compliant / Low odor / Non-shrinking / Fast curing. Environmentally friendly, it replaces solvent-based adhesives and is safe to use indoors or outdoors.

Sands



POLYBIND HP SAND

Designed for paver joints up to a maximum of 1 inch.

Polybind HP Sand is a unique mixture of polymer binders and calibrated sand available in Nevada Tan and Oxford Grey. The installation of Polybind Sand is almost identical to using regular paver joint sand, except for the application of water. Once it sets, it becomes very firm and locks between the paver joints. This firm bond maintains pavers securely in place, being equally effective on both horizontal and sloped surfaces.

Packaging: • 50 lb bag • 56 bags per skid
Coverage: • 65-85 sq.ft. per bag for narrow joints/larger joints will require more sand

Sands



POLYBIND COMPLETE SAND

Designed specifically for drainage and non-drainage base.

Polybind Complete Sand is specifically designed for drainage and non-drainage base systems. It can be used with concrete pavers, wetcast and natural stones. It is recommended for a variety of uses, including pool sides, patios foot paths, driveways, parking spaces, pavement, etc. This complete multi-purpose sand is available in three colors: Nevada Tan and Oxford Grey. It sets above the freezing temperature 32°F and can be used for joints up to a maximum of 1.5 in.

- | | |
|--------------------|---|
| Packaging: | Coverage: |
| • 50 lb bag | • 65-85 sq.ft. per bag for narrow joints/larger joints will require more sand |
| • 56 bags per skid | |



POLYBIND G2 SAND - NO DUST • HAZE FREE • NO BLOWER • ONE WATERING

Designed for paver and natural stone joints up to 2".

PolyBind G2 is made with calibrated sand that is mixed with sophisticated intelligent polymers, which neutralizes haze and dust. The polymeric sand application is now dust free and haze free. No blower is needed and the intelligent polymeric sand requires only one watering. It is recommended for a variety of uses including pool decks, patios, footpaths, driveways, parking spaces, pavements, etc. Available in Nevada and Oxford Grey. It sets above the freezing temperature 32°F and can be used for joints up to a maximum of 2 in.

- | | |
|-------------------|---|
| Packaging: | Coverage: |
| • 50 lb bag | • 65-85 sq.ft. per bag for narrow joints/larger joints will require more sand |



POLYBIND G2 COMPLETE SAND - NO DUST • HAZE FREE • NO BLOWER • ONE WATERING

Designed for paver and natural stone joints up to 4" for overlay and non-overlay application.

PolyBind Complete G2 is made with calibrated sand that is mixed with sophisticated intelligent polymers, which neutralizes haze and dust. The polymeric sand application is now dust free and haze free. No blower is needed and the intelligent polymeric sand requires only one watering. It is recommended for a variety of uses including pool decks, patios, footpaths, driveways, parking spaces, pavements, etc. Available in Nevada, Oxford Grey, Ivory White and Jet Black. It sets above the freezing temperature 32°F and can be used for joints up to a maximum of 4 in.

- | | |
|-------------------|---|
| Packaging: | Coverage: |
| • 50 lb bag | • 65-85 sq.ft. per bag for narrow joints/larger joints will require more sand |
| | • 58-76 sq.ft. per bag for narrow joints/larger joints will require more sand (Jet Black) |



POLYBIND DUST

Designed for natural stone joints 1/2" to 4".

Polybind Dust is a unique mixture of polymer binders and calibrated crushed stone available in two colors - Tan & Grey. Once Polybind Dust sets, it becomes very firm and locks between the stone joints. This firm bond maintains the stones securely in place, being equally effective on both horizontal and sloped surfaces.

- | | |
|--------------------|--|
| Packaging: | Coverage: |
| • 50 lb bag | • 20-30 sq.ft. per bag for joints 1"-2" wide and stones approximately 2" thick |
| • 56 bags per skid | |



SUREBOND JOINTING SAND

This jointing sand will properly complete the interlocking of the segmental pavers because it is clean, angular and meets ASTM-C144 specifications. This type of sand is more stable in the paver joints and has the optimal gradation to ensure long term performance of the pavement system. Recommended for joints up to 3/4" • Washed, screened & dried • Available in Tan & Grey.

- Packaging:**
50 lb bag



POLYSWEEP POLYMERIC SAND

PolySweep is designed to keep sand in the joints by creating a semi-solid joint. It is a blend of native sands conforming to (ASTM C-144) and binders specially formulated to allow the joints to expand and contract with the elements such as extreme heat, extreme cold and freeze/thaw cycles. Preventing sand erosion from the pavement joints caused by rain and other water run-off. PolySweep has not only proven to produce less hazing, but it also deters weed growth and reduces overall pavement maintenance.

Max width: 2.5 cm (1"); a larger joint width is acceptable where the pavers intersect. Min depth: 3 cm (1.25").

- | | |
|--|--|
| Packaging: | Coverage: |
| • 50 lb/bag, 56 Bags/Skid (2,860 lbs/skid) | • Approx. Courtstone - 1 bag covers approximately 25 sq. feet. |
| Available Colors: Grey and Tan | |

Note: Extra care must be exercised when using on Courtstone®, Copthorne®, Richcliff® and Town Hall®. This product is not recommended for Il Campo®, Series™, Unigranite™ and Umbriano®.

Sands

Sands	SAND RECOMMENDATIONS BY PRODUCT			
	Polybind HP G2	Polybind Complete Sand G2	Polysweep Polymeric Sand	Unicare® Easy Pro®
PAVERS	For joints up to 1/8" May be sealed. Tan color Non-binding sand	For joints up to 1" May be sealed. Available in Tan or Grey Binding sand	For joints up to 4" May be sealed. Available in Tan or Grey Binding sand	For joints up to 1" May be sealed. Available in Tan or Black Binding sand
Avante Ashlar™	N/R	✓	✓	✓
Cophorne®	✓	✓	✓*	✓
Courtstone®	✓	✓	✓	✓
Il Campo®	N/R	N/R	N/R	N/R
Richcliff®	✓	✓	✓*	✓
Rivenstone™	N/R	✓	✓	✓
Senzo™	✓	✓	N/R	N/R
Series™	N/R	N/R	N/R	N/R
Town Hall®	✓	✓	✓	✓
Umbriano®	✓	✓	N/R	N/R
Tumbled Pavers	✓	✓	✓	N/R
Standard Pavers	✓	✓	✓	✓

N/R - Not Recommended
 ✓ Recommended
 ✓* These pavers have a very narrow or slightly angled edge (chamfer), limiting sand penetration in the joint and causing possible weak bonding areas. The life cycle performance could be affected.

IMPORTANT NOTICE

1. **DO NOT USE** Polymeric Jointing Sand on the following products:

Series™ Il Campo® Unigranite®

If joint stabilization is required, use ordinary jointing sand and apply a stabilizing sealer. Contact your local Unilock office for recommended sealants and application specifics.

2. **EXTRA CARE** must be exercised when using Polymeric Sand on the following products:

Courtstone® Cophorne® Richcliff® Town Hall® Umbriano®

Polymeric Jointing Sand can be used on these products but the fine polymers and binders in Polymeric Jointing Sand have a natural tendency to adhere to the surface and therefore extra diligence must be taken to pre-clean the surface prior to "wetting the sand in" and squeegee off the surface post application. Failure to do so will result in a "whitish haze" on the surface that is difficult to remove.

3. **IMPORTANT COMPACTION NOTICE:** Always pre-compact the pavers WITHOUT SAND IN THE JOINTS. This will facilitate proper leveling. Polymeric sand can then be swept into the joints. Always use a compactor with a protective membrane attached to the bottom of the plate.


Polymeric Jointing Sand, cleaners and sealers, must always be applied by a trained and experienced professional. Contact your local Unilock office for training and the most up-to-date best practices.

NOTICE: Unilock does not accept any responsibility for damage to the surface caused by the improper application and use of polymeric sand, sealers or cleaners. Unilock will not accept responsibility for alternate suppliers of polymeric sand, jointing sand, cleaners and sealers.

Edge Restraints

SnapEdge - One-Piece Edging That Does It All!

- Only one part required for straight runs or curved installations.
- Built-in connector fastens one piece to the next - convenient 96" size, makes them easy to transport.
- Unique 'Snip and Flex' feature speeds installations of curves and corners without pre-planning.
- The open design allows a root system to grow through SnapEdge, further reinforcing the installation.
- Engineered to provide a strong, easy-to-install edge restraint for concrete/ clay pavers.
- Nail hole bosses are full-length cylinders. Hammer blows will not fracture or force nail heads through edging.



Product Information:
 8' (96") length pcs.
 Sidewall: 1 7/8"
 Pieces per Pallet: 672 (5,376 In. ft.)
 Pieces per Bundle: 24 (192 In. ft.)
 Bundles per Pallet: 28
 Pallet Weight: 1395 lbs.
 Pallet Size: 98" l x 48" w x 50" h

Product Information:
 6'8" (80") length pcs.
 Sidewall: 1 3/8"
 Pieces per Pallet: 672 (5,376 In. ft.)
 Pieces per Bundle: 24 (192 In. ft.)
 Bundles per Pallet: 28
 Pallet Weight: 1395 lbs.
 Pallet Size: 98" l x 48" w x 50" h

PermEdge Permeable Paver Edging

- Designed specifically for permeable pavement with open graded base material.
- Holds pavement edges securely in place.
- Does straight and curved edges.

Product Information:
 8' (96") length pcs.
 Weight per Unit: 2.5 lbs.
 Pieces per Pallet: 64 (72 In. ft.)
 Freight Class: 300
 Pallet Weight: 210 lbs.
 Pallet Size: 98" l x 48" w x 50" h




- Spikes**
- 10" Round Spikes
 - About 150 spikes per case
 - Sold in full cases only




Edge Restraints

TIPS FOR QUICK AND EASY INSTALLATION WITHOUT PRE-PLANNING




For a sharp inside corner remove one or two nail hole bosses and bend to desired shape.

Sharp Inside Corner




For a sharp outside corner 'snip' support and bend.

Sharp Outside Corner




'Bend' Snap Edge to form a better seal against walls, etc., (gaps allow sand leaks and paver failure).


Proper Wall Installation



Gentle Outside Curves




Gentle Inside Curves



Fasten Snap Edge lengths together by inserting tongue on one piece into slot on adjoining piece.

Pieces Snap Together

X & T Slab Spacers



Unilock recommends using slab spacers when installing Arcana on an open grade surface. "T" spacers are needed for running bond patterns, "X" spacers are needed for stack bond patterns. Please contact your sales manager for more information.

X & T SLAB SPACERS


- 250 per bag
- X & T bagged separately
- X spacers 2" x 2" (RS-ACC237)
- T spacers 2" x 1" (RS-ACC236)

Landscape Base, Fabrics and Grids



POLYBIND GATOR BASE

- 57.9 Sq.Ft./Pkg



CELL TEK 3" & 4" LOAD SUPPORT GRID

- 170 Sq.Ft./Pkg (9' x 24')



GATOR GRID

- GG 30-30 (4' x 50')
Biaxial Grid/16 rolls/box
- GG 30-30 (6' x 150')
Biaxial Grid/20 rolls/pallet



GATOR FABRIC

- GF3.5 Non-Woven 3' x 100'
4 roll pkg
- GF3.5 Non-Woven 6' x 100'
12 roll pkg
- GF8 Polyspun 3' x 100'
9 rolls/box

UNILOCK DRIVEGRID™ SYSTEM

- 120' x 13' Roll, 1,572 Sq.Ft./Roll
56 lb/Roll

Tools & Accessories



- Install up to 700 sq. ft. per hour!
 - Access tight or narrow areas
 - Eliminate the need for a forklift on site
 - Reduce labor costs
 - Reduce shoulder, hand & knee pain and injury
 - Improve your bottom line
- Contact your local rep for details.



- VPR 450 Paver Roller**
- Centrifugal Force: 1,798 lbs
 - Machine Weight: 238 lbs
 - Base Plate Width: 16.5"
 - Engine: Honda GX160 Four-Stroke



- U-LEVEL™**
- Easy to use
 - Accurate readings
 - Low maintenance
 - Works in difficult locations
 - Large working area

A PRECISION TOOL NO
HARDSCAPER SHOULD BE WITHOUT



ATLANTIC WATERFALLS KIT

- 24" blue waterfall
MODEL CF24B/CF24W/CF24R/CF24SW
- 12 Volt
 - 20 watts
 - 1 1/4" FIPT inlet
 - 2000 gph flow rate
 - 5" lip extension
 - 30' cord and trans
 - 24" x 8"w x 3 1/2"h
- *Recommended for clean water and pond-free applications only*



- PAVER PULLER**
Used for extracting pavers.



- 4 LB. SPLITTING HAMMER**
Used with Chisel and/or Wall Splitter.



- PISA XL LIFTING TONG**
The Pisa XL tong makes it easier to lift and place units, especially on the base course. The action of lifting the handle secures the lifter and makes for easy, balanced lifting and placement.



- PISA2° LEVEL**
Used for leveling Pisa2, Roman Pisa and Split'n Stack wall systems.



- 4" CHISEL WITH HAND GUARD**
Tapered on both sides for more controlled splitting.

Cutting Equipment

UNILOCK PAVER PRO

Industrial Diamond Blades which have been specifically engineered for the needs of the Professional Segmental Contractor.

Blades available in two sizes:
12" x 0.110
14" x 0.110




Fire Rock Fireplace

PRE-ENGINEERED MASONRY FIREPLACE AND CHIMNEY SYSTEM

The Fire Rock Masonry Fireplace and Chimney System is a pre-engineered refractory components kit system. Fire Rock products represent the latest technology in safe, high-performance, all-masonry fireplaces and chimneys. In recent years, many architects and landscape firms have utilized Fire Rock for outdoor rooms and patios.

Firebox		36"
Overall Width	A	44
Overall Depth	B	28.5
Firebox Height	C	38
Smoke Ch. Ht.	D	32.125
Opening Width	E	38.5
Opening Height	F	32.125
Firebox Depth	G	22.75
Width at Top		26
Width at Rear		27.875



Tools and Accessories

ADHESIVES	UNIT
SB PaverBond Adhesive Tube (10.5 oz)	12 per case
SB PaverBond Adhesive Tube (29 oz)	12 per case
PolyBind High Strength HP Low VOC (10 oz)	12 per case
PolyBind High Strength HP Low VOC (28 oz)	12 per case
PolyBind High Strength XP Low VOC (10 oz)	12 per case
PolyBind High Strength XP Low VOC (28 oz)	12 per case

POLYMERIC AND JOINTING SANDS	UNIT
SB Jointing Sand Tan or Grey	Per Bag
SB Polysweep Polymeric Black, Sand Tan or Grey	Per Bag
PolyBind HP Beige or Slate Grey	Per Bag
PolyBind Complete Beige or Slate Grey for overlays	Per Bag
PolyBind G2 Beige or Slate Grey	Per Bag
PolyBind G2 Complete Beige, Slate Grey, Ivory or Jet Black	Per Bag
PolyBind Euro Beige or Slate Grey for Wetcast and Courtstone	Per Bag
PolyBind Dust Sahara Beige and Stone Grey	Per Bag
SB Permeable Jointing Chip - Granite Chips - Tan, Grey or Black	Per bag
PolyBind Eco Rock Granite Grey	Per bag

CLEANERS & SEALERS	UNIT
PolyBind Wet Look Sealer (Solvent Base)	1 & 5 Gallon
PolyBind Satin Look Sealer (Solvent Base)	1 & 5 Gallon
PolyBind Eco Sealer High Gloss (Water Base)	1 & 5 Gallon
PolyBind Eco Sealer Low Gloss (Water Base)	1 & 5 Gallon
SB1300 Joint Stabilizer Sealer 1 GL (Natural Look-water base)	1, 5 & 55 Gallon
SB7000 Joint Stabilizer Sealer 1 GL (Wet Look-water base)	1, 5 & 55 Gallon
SB8700 Joint Stabilizer Sealer 1 GL (Wet Look-solvent base)	1, 5 & 55 Gallon
SB-Sure Strip 1GL	1 Gallon
SB-Efflo Off 1 GL (concentrated-dilution required)	1 Gallon
PolyBind Efflorescence Cleaner (dilute 4:1)	1 Gallon
PolyBind Shampoo	1 Gallon
PolyBind Rust Remover	1 Quart
PolyBind Oil and Grease Remover	1 Quart
PolyBind Paint, Tar and Rubber Remover	1 Quart

COMPACTION EQUIPMENT	UNIT
VPR450 Roller Compactor	EACH
Hand Tamper	Each
Universal Urethane Mat	Each

CUTTING DEVICES	UNIT
Diamond Blade 12" x .110 (regular)	Each
Diamond Blade 14" x .110 (regular)	Each
Chisel with Hand Guard	Each

DECK OVERLAY SYSTEM	UNIT
Plastic trays for transforming wood decks to paver decks (16"x18"=2 SF/per each)	Each

FABRICS AND GRIDS	UNIT
PolyBind Gator Base (57.9 sf/pkg)	Package
Cell Tek 3" Load Support Grid 170 SQ.FT. (9'x24')	Each
Cell Tek 4" Load Support Grid 170 SQ.FT. (9'x24')	Each
Gator Fabric GF3.5 Non-Woven (3' x 100') For Pavers and Retaining Walls (4 rolls/box)	Per Roll
Gator Fabric GF3.5 Non-Woven (4' x 100') For Pavers and Retaining Walls (4 rolls/box)	Per Roll
Gator Fabric GF3.5 Non-Woven (6' x 100') For Pavers and Retaining Walls (4 rolls/box)	Per Roll
Gator Fabric GF3.5 Non-Woven (6' x 300') For Pavers and Retaining Walls (12 rolls/pallet)	Per Roll
Gator Fabric GF8 Polyspun (3' x 100') For Landscape Coverings (9 rolls/box)	Per Roll
Gator Grid GG 30-30 (4' x 50') Biaxial Grid (16 rolls/box)	Per Roll
Gator Grid GG 30-30 (6' x 150') Biaxial Grid (20 rolls/pallet)	Per Roll
Strata Grid 200 (6'x300')	Per Sq. Ft.
Unilock Drive Grid - Roll Size (13.1'x120')	Per Sq. Ft.

Tools and Accessories

EDGE RESTRAINTS	UNIT
Snap Edge (8'/pc)	Piece
Low Profile Snap Edge (6'8"/pc)	Piece
PermEdge Permeable Edging (8'/pc)	Piece
Perma Edge Edging	Piece
PolyBind Edge Rigid (8'/pc)	Piece
Spikes - Spiral Ardox 10"	Each

FIRE PITS	UNIT
Rivercrest Firepit complete with Insert and grilling rack and all Rivercrest product	Each
Sunset Round Firepit complete with Insert and 54 pieces of Dimensional Stone	Each
Sunset Round Firepit Insert only	Each
Sunset Square Firepit complete with Insert and 36 pieces of Dimensional Stone	Each
Sunset Square Firepit Insert only	Each

HAMMERS	UNIT
Drilling Hammer 4 lb.	Each

HANDLING EQUIPMENT	UNIT
Pisa XL Lifting Tong	Each
Paver Extractor	Each
Paver Vacuum (PM1)	Each
Paver Vacuum (PM3)	Each

LANDSCAPING SCREEDS	UNIT
Magnesium Screed 4' x 1" x 4"	Each
Magnesium Screed 6' x 2" x 4"	Each
Magnesium Screed 8' x 2" x 4"	Each

LIMESTONE CAPS	UNIT
Limestone Caps 24" x 24" x 3"	Each
Limestone Caps 28" x 28" x 3"	Each
Limestone Caps 32" x 32" x 3"	Each

LEVELING	UNIT
Pisa Level	Each
U-LEVEL	Each
Mighty "T" Level	Each
Shims Case (36 sheets of 10 per case)	Case
Shims Sheets (10 shims per sheet)	Sheet of 10

FIREPLACE KIT	UNIT
36" Outdoor Environment Kit (includes 2 bags of mortar)	Each
42" Outdoor Environment Kit (includes 2 bags of mortar)	Each
Additional 6' chimney extensions	Each
25lb bag of mortar	Each

NATURAL STONE SEALERS AND CLEANERS	UNIT
UniCare Natural Stone Acid Clean for Sandstone or Limestone (NOT for Black Limestone)	5 litre
UniCare Natural Stone Acid Clean for Sandstone or Limestone (NOT for Black Limestone)	5 litre
UniCare Natural Power Clean for Sandstone or Limestone	5 litre
UniCare Natural Power Clean for Sandstone or Limestone	1 litre
UniCare BioClean for Sandstone or Limestone	5 litre
UniCare BioClean for Sandstone or Limestone	5 litre
UniCare Natural Stone NatMatte Sealer	5 litre
UniCare Natural Stone NatMatte Sealer	1 litre
UniCare Natural Stone NatMatte Sealer	5 litre
UniCare Natural Stone NatMatte Sealer	1 litre

Tools and Accessories

PEDESTALS	UNIT
VT18 Ultra Low Height Pedestals 1/8" Height with 1/8" Joint	Each
HD50-18 Fixed 1/2" Height Stackable Pedestals with 1/8" Joint	Each
L018 Low Height (1.25"-2") Adjustable Pedestals with 1/8" Joint	Each
V1 Adjustable Pedestals 2.25"-2.75" Height with 1/8" Joint	Each
V2 Adjustable Pedestals 2.75"-3.75" Height with 1/8" Joint	Each
V3 Adjustable Pedestals 3.75"-5.75" Height with 1/8" Joint	Each
V4 Adjustable Pedestals 5.75"-9.00" Height with 1/8" Joint	Each
B11 Rubber shim 1/16" thick	Each

UNILOCK PRE-BUILT ELEMENTS	UNIT
Moda Fireplace Granite/Opal BS+TP	Each
Bella Fireplace Coastal Slate/Granite BS+TP	Pair
Tuscany Wood Fireplace (Sierra or Sandstone w/Copthorne accents)	Each
Tuscany Wood Boxes (2)(Sierra or Sandstone w/Copthorne accents)	Pair
Tuscany Arched Hearth (Sierra or Sandstone w/Copthorne accents)	Each
Tuscany Brick Oven (Sierra or Sandstone w/Copthorne accents)	Each
Tuscany Grill (with stainless grill and doors)(Sierra or Sandstone w/Copthorne accents)	Each
Barcelona Wood Fireplace (River w/Richcliff accents)	Each
Barcelona Wood Boxes (2)(River w/Richcliff accents)	Pair
Barcelona Arched Hearth (River w/Richcliff accents)	Each
Bella Grill	Each

WATERFALL KITS	UNIT
Color waterfalls kit 24" (white or blue)	Each

Calculations

AREA OF A CIRCLE

Radius (in.)	18	21	24	27	30	33	36	39	42	45	48	51	54	57
Radius (ft.)	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.235	4.50	4.75
Square Feet	7.07	9.62	12.56	15.90	19.63	23.75	28.26	33.17	38.47	44.16	50.24	56.72	63.59	70.85
Circumference (in.)	113.04	131.88	150.72	169.56	188.40	207.24	226.08	244.92	263.76	282.60	301.44	320.28	339.12	357.96
Circumference (Ft.)	9.42	10.99	12.56	14.13	15.70	17.27	18.84	20.41	21.98	23.55	25.12	26.69	28.26	29.83

Area of a circle = $3.14 \times \text{Radius} \times \text{Radius}$

Circumference = $6.28 \times \text{Radius}$

AREA CONVERSION CHART

Square Feet	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Square Meter	0.09	0.19	0.28	0.39	0.46	0.56	0.65	0.74	0.84	0.93	1.02	1.11	1.21	1.30
Square Meter	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Square Feet	10.76	21.53	32.29	43.06	53.82	64.58	75.35	86.11	96.88	107.64	118.40	129.17	139.93	150.69
Cubic Yard	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Cubic Feet	27	54	81	108	135	162	189	216	243	270	297	324	351	378

Area Square = Length x Width

Area Triangle = $1/2 \text{ Base} \times \text{Height}$

LINEAR DISTANCE CONVERSION CHART

Inches	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Centimeters	2.54	5.08	7.62	10.16	12.70	15.24	17.78	20.32	22.86	25.40	27.94	30.48	33.02	35.53
Centimeters	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Inches	0.39	0.79	1.18	1.57	1.97	2.36	2.76	3.5	3.54	3.94	4.33	4.72	5.12	5.51
Feet	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Meters	0.30	0.61	0.91	1.22	1.52	1.83	2.13	2.44	2.74	3.05	3.35	3.66	3.96	4.25
Meters	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Inches	39.37	78.74	118.11	157.48	196.85	236.22	275.59	314.96	354.33	393.70	433.07	472.44	511.81	551.18
Feet	3.28	6.56	9.84	13.12	16.40	19.69	22.97	26.25	29.53	32.81	36.09	39.37	42.65	45.93

WEIGHT CONVERSION CHART

Pounds	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Kilograms	0.45	0.91	1.36	1.81	2.27	2.72	3.18	3.63	4.08	4.54	4.99	5.44	5.90	6.35
Kilograms	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Pounds	2.20	4.41	6.61	8.82	11.02	13.23	15.43	17.64	19.84	22.05	24.25	26.46	28.66	30.86

Bedding Materials Chart (Approximate Imperial Tons)

Square Feet	Bedding Course											
	1"	2"	3"	4"	5"	6"	7"	8"	9"	10"	11"	12"
50	0.3	0.5	0.8	1.0	1.3	1.5	1.8	2.0	2.3	2.5	2.8	3.0
100	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.5	6.0
150	0.8	1.5	2.3	3.0	3.8	4.5	5.3	6.0	6.8	7.5	8.3	9.0
200	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0
250	1.3	2.5	3.8	5.0	6.3	7.5	8.8	10.0	11.36	12.5	13.8	15.0
300	1.5	3.0	4.5	6.0	7.5	9.0	10.5	12.0	13.5	15.0	16.5	18.0
350	1.8	3.5	5.3	7.0	8.8	10.5	12.3	14.0	15.8	17.5	19.3	21.0
400	2.0	4.0	6.0	8.0	10.0	12.0	14.0	16.0	18.0	20.2	22.0	24.0
450	2.3	4.5	6.8	9.8	11.3	13.5	15.8	18.0	20.3	22.5	24.8	27.0
500	2.5	5.0	7.5	10.0	12.5	15.0	17.5	20.0	22.5	25.0	27.5	30.0
550	2.8	5.5	8.3	11.0	13.8	16.5	19.3	22.0	24.8	27.5	30.3	33.0
600	3.0	6.0	9.0	12.0	15.0	18.0	21.0	24.0	27.0	30.0	33.0	36.0
650	3.3	6.5	9.8	13.0	16.3	19.5	22.8	26.0	29.3	32.5	35.8	39.0
700	3.5	7.0	10.5	14.0	17.5	21.0	24.5	28.0	31.5	35.0	38.5	42.0
750	3.8	7.5	11.36	15.0	18.8	22.5	26.3	30.0	33.8	37.5	41.3	45.0
800	4.0	8.0	12.0	16.0	20.0	24.0	28.0	32.0	36.0	40.0	44.0	48.0
850	4.3	8.5	12.8	17.0	21.3	25.5	29.8	34.0	38.3	42.5	46.8	51.0
900	4.5	9.0	13.5	18.0	22.5	27.0	31.5	36.0	40.5	45.0	49.5	54.0
950	4.8	9.5	14.3	19.0	23.8	28.5	33.3	38.0	42.8	47.5	52.3	57.0
1000	5.0	10.0	15.0	20.0	25.0	30.0	35.0	40.0	45.0	50.0	55.0	60.0

Base Depth Charts (Cubic Yards)

Square Feet	Bedding Course											
	1"	2"	3"	4"	5"	6"	7"	8"	9"	10"	11"	12"
50	0.2	0.3	0.5	0.6	0.8	0.9	1.1	1.2	1.4	1.5	1.7	1.9
100	0.3	0.6	0.9	1.2	1.5	1.9	2.2	2.5	2.8	3.1	3.4	3.7
150	0.5	0.9	1.4	1.9	2.3	2.8	3.2	3.7	4.2	4.6	5.1	5.6
200	0.6	1.2	1.9	2.5	3.1	3.7	4.3	4.9	5.6	6.2	6.8	7.4
250	0.8	1.5	2.3	3.1	3.9	4.6	5.4	6.2	6.9	7.7	8.5	9.3
300	0.9	1.9	2.8	3.7	4.6	5.6	6.5	7.4	8.3	9.3	10.2	11.1
350	1.1	2.2	3.2	4.3	5.4	6.5	7.6	8.6	9.7	10.8	11.9	13.0
400	1.2	2.5	3.7	4.9	6.2	7.4	8.6	9.9	11.1	12.3	13.6	14.8
450	1.4	2.8	4.2	5.6	6.9	8.3	9.7	11.1	12.5	13.9	15.3	16.7
500	1.5	3.1	4.6	6.2	7.7	9.3	10.8	12.3	13.9	15.4	17.0	18.5
550	1.7	3.4	5.1	6.8	8.5	10.2	11.9	13.6	15.3	17.0	18.7	20.4
600	1.9	3.7	5.6	7.4	9.3	11.1	13.0	14.8	16.7	18.5	20.4	22.2
650	2.0	4.0	6.0	8.0	10.0	12.0	14.0	16.0	18.1	20.1	22.1	24.1
700	2.2	4.3	6.5	8.6	10.8	13.0	15.1	17.3	19.4	21.6	23.8	25.9
750	2.3	4.6	6.9	9.3	11.6	13.9	16.2	18.5	20.8	23.1	25.5	27.8
800	2.5	4.9	7.4	9.9	12.3	14.8	17.3	19.8	22.2	24.7	27.2	29.6
850	2.6	5.2	7.9	10.5	13.1	15.7	18.4	21.0	23.6	26.2	28.9	31.5
900	2.8	5.6	8.3	11.1	13.9	16.7	19.4	22.2	25.0	27.8	30.6	33.3
950	2.9	5.9	8.8	11.7	14.7	17.6	20.5	23.5	26.4	29.3	32.3	35.2
1000	3.1	6.2	9.3	12.3	15.4	18.5	21.6	24.7	27.8	30.9	34.0	37.0

Actual volume may vary due to type of materials, moisture content, and compaction. Calculation charts and formulas are provided as a service by Unilock for estimating material requirements. Unilock will not be held responsible in any way for resulting product overage or shortage.

Important Notes

UNILOCK PAVER PATTERNS

This Product Data Guide contains an extensive reference to patterns and designs. The purpose of these pattern swatches is to help the designer plan unique and exceptional designs. The percentages of products shown are based on the pattern and not on bundle configurations. In fact, there may be situations in which a pattern has been created with one particular size of stone, but that stone only comes packaged with two other sizes. This means that the designer will have to plan how the other components are used in the overall plan. This is usually accomplished by adding a border or an accent. As a result, overages or shortages may occur in certain patterns. The designer and/or installer of Unilock products accepts all responsibility for design and all associated costs incurred as a result of applying any of Unilock's suggested design patterns in a project. Please plan your project and review your order carefully prior to ordering.

TRANSFERABLE LIFETIME GUARANTEE

Unilock provides a Transferable Lifetime Guarantee* on the structural integrity of our paving stones, slabs and retaining wall units to the original purchaser of the product for residential use. Any materials installed and maintained to our guidelines, and subject to normal wear, that prove defective, will be replaced without cost. Color matching cannot be guaranteed and replacement labor is not included. Proof of purchase is required.

Excessive defective material (over the industry accepted normal of 2% for non-tumbled unit pavers) delivered to the purchaser will be replaced free of charge if a written claim is made within 5 days of delivery from the manufacturer. Such claims will not constitute reason for delaying payment. All goods shall be deemed accepted if completely installed. Inspect concrete products prior to opening bundle packaging to ensure that shape and color are as ordered. Unsatisfactory material must be available for inspection by Unilock to entitle the purchaser to any adjustment or credit. Inspect all concrete units during installation and set aside any which are chipped or cracked to use for any cut pieces required. The color of concrete products may vary significantly between production lots. Always install concrete units from several bundles simultaneously to ensure proper distribution of color. Prior to final compaction, inspect installed pavers for good color distribution. Relocate certain pavers, if necessary, to achieve desired color blend.

*Transferable Lifetime Guarantee: Register your project within 60 days of your dated proof of purchase to ensure your Unilock Guarantee is fully transferable! Simply go online at unilock.com and follow instructions. Once processed, you will receive an original Transferable Warranty Certificate for your records.

PRODUCT HANDLING WARNING

Bundle Straps Under Tension - Use extreme caution when removing or handling straps. Always wear gloves, goggles, safety footwear, and protective clothing when removing or handling straps. Failure to do so may result in serious bodily injury or loss of sight.

Cut all concrete products only in well ventilated areas. Inhalation of dust is a serious health risk. A "NIOSH" (US) or a "CSA" (CDN) approved respirator, safety goggles, hearing protectors, and gloves must be worn at all times. Always "wet-cut" or "wet grind" concrete products to minimize dust.

Do not stack bundled concrete products higher than 2 bundles high. Contents of the bundle may be unstable and subject to topple when stacked. Always use extreme caution and appropriate equipment when transporting or storing bundled concrete products. Failure to do so may result in serious bodily injury or death. Always obey gross vehicle weight (GVW) loading limitations and regulations.

Hazard Rating: Fire 0, Health 1, Reactivity 0. See MSDS Concrete Masonry (Pavers). Contact Unilock for complete sheet or view safety information at Unilock.com.

Unilock assumes no liability or responsibility for loss or damage, resulting from the improper use or handling of our products, or from failure to follow instructions, warnings, and/or advisories on the product label, and on the MSDS sheet.

Trademark & Legal Information

Umbriano® is a trademark of Metten Stein + Design GmbH & Co KG used under license by Unilock.


Unilock Ltd. and Hengestone Holdings, Inc. are the owners or authorized users of all trademarks used in this publication unless otherwise specified.

Measurements throughout this portfolio are nominal.

*Colors shown in this catalog should be used only as a guide. Colors should always be chosen from actual samples. Contact your local Unilock representative for color availability in your area.

Not all products shown are available at all Unilock locations. Log on to www.unilock.com for availability.


Finishes



BRUSHED




COBBLESTONE



WEATHERED




DIMPLED AND WEATHERED




FLAGSTONE




SMOOTH



WASHED



SMOOTH - ZERO BEVEL



SPLIT



TIMEWORN



SPLIT AND WEATHERED



STANDARD

Color Blend Descriptions

COLOR NAME	DESCRIPTION
Basalt	Blue-Black
Bavarian Blend	Rust, Brown & Charcoal
Birch	Dark Brown, Light Brown & Cream
Bluestone	Blue with Black and Brown veining
Canyon	Plum, Yellow-Brown
Coastal Slate	Grey and Tan
Cobalt Grey	White, Grey and Blue hues
Coffee Creek	Buff, Charcoal, Mauve
Cream	Creamy Buff
Dawn Mist	Grey and Tan
Fossil	White, Grey, Charcoal & Camel
French Grey	Light Grey
Graphite	Mid Black
Granite	Charcoal and Natural
Granite Fusion	Natural, Mid-Grey & Charcoal
Golden Tan	Dark Brown, Light Brown with White Granite
Heritage Clay	Burnt Clay and Basalt

COLOR NAME	DESCRIPTION
Heritage Red	Burgundy Red and Basalt
Mineral Ice Grey	Grey and White
Limestone	Light Grey
Midnight Sky	Charcoal and Black Flake
Mocha	Dark Brown
Nevada	Buff and Natural
Onyx Black	Dark Charcoal with Black Granite
Pebble Taupe	Tan and Brown
River	Buff, Natural and Charcoal
Rustic Red	Red and Charcoal
Sandstone	Light Buff
Sierra	Buff, Charcoal and Brown
Slate Blue	Blue, with mauve and buff accents
Summer Wheat	Cream White with Pale Yellow & Beige Particles
Walnut	Dark Brown, Light Brown and Buff accents
Winter Marvel	White and Black Flake

Product Directory

UNIT PAVERS

Product	Page	Finish	Pedestrian	Residential Vehicular	Commercial Vehicular	Environmental	For Borders & Accents
Arcana	4	SM	✓				
Artline™	5	SM	✓				✓
Avante Ashlar™	6	F	✓	✓			
Beacon Hill™ Flagstone	7	F	✓				
Beacon Hill™ Smooth	8	SM	✓				
Boulevard	9	F	✓	✓			✓
Bristol Valley®	10	S	✓				
Brussels Block®	11	W	✓	✓			✓
Camelot™ & Tumbled Camelot™	12	S	✓	✓	✓		✓
Copthorne®	14	T	✓	✓			✓
Courtstone®	15	C	✓	✓			✓
Eco-Optiloc™	16	S	✓	✓	✓	✓	
Eco-Priora™ - Standard finish	17	S	✓	✓	✓	✓	
Eco-Promenade®	18	M	✓	✓	✓	✓	
Granito™	19	S	✓	✓			
Hex™ Paver	20	S	✓	✓			
Hollandstone™	21	S	✓	✓	✓		✓
Holland Premier™	22	S	✓	✓	✓		✓
Il Campo®	23	B	✓	✓	✓		✓
Mattoni	24	F	✓	✓			✓
Natural Stone	25		✓				
Optiloc®	30	S	✓	✓	✓		
Porcelain Tile	31		✓				
Promenade™	34	S	✓	✓	✓		
Richcliff®	36	F	✓	✓			✓
Rivenstone™	37	F	✓				
Series™ (60 & 70mm)	38	WS	✓	✓	✓		✓
Skyline	40	S	✓				
Stonehenge®	41	DW	✓	✓			✓
Thornbury™	42	F	✓	✓	✓		
Town Hall®	43	T	✓	✓	✓	✓	✓
Treo™ Premier	44	F	✓	✓			✓
Tribeca Cobble	45	C	✓	✓			✓
Turfstone™	46	S		✓		✓	
Umbriano® (60, 70 & 80mm)	47	SZ	✓	✓	✓		✓
Westport™	51	F	✓	✓			

RETAINING WALLS

Product	Page	Finish	Gardens	Retaining Walls	Steps	Seatwalls	Pillars
Brussels Dimensional System™	52	W	✓	✓	✓	✓	✓
DuraHold®	53	S		✓			
DuraHold2®	54	S		✓			
Estate Wall®	56	SP/W	✓	✓	✓	✓	✓
Lineo™ Dimensional Stone	58	SZ	✓	✓	✓	✓	✓
Pisa2® & Pisa2XL	59	SP	✓	✓	✓	✓	✓
Rivercrest® Wall	60	F	✓		✓	✓	✓
RomanPisa®	62	SP/W	✓	✓	✓	✓	✓
RomanStack®	63	SP/W	✓				
SienaStone®	64	SP		✓	✓		
Split'n Stack®	65	SP	✓				
U-Cara™	66	Various	✓	✓	✓	✓	✓

FINISHES: B=Brushed; C=Cobblestone; D=Dimpled; DW=Dimpled and Weathered; F=Flagstone; S=Standard; SM=Smooth; SZ=Smooth Zero Bevel; SP=Split; SP/W= Split and Weathered; T=Timeworn; W=Weathered; WS=Washed
 This application chart should only be used as a guide. Site conditions, base materials, pattern, and frequency of use may vary the performance of various types and styles of products.

Notes



A series of horizontal lines for writing notes, consisting of 20 evenly spaced grey lines.



UNILOCK[®]
PAVERS & WALLS

BOSTON
(508) 278-4536

CHICAGO
(630) 892-9191

MILWAUKEE
(262) 742-3890

KANSAS
(913) 417-7985

MICHIGAN
(248) 437-7037

NEW YORK
(845) 278-6700

MID-ATLANTIC
(202) 798-2060

ONTARIO
(416) 646-9000

CINCINNATI/KY/TN
(513) 202-0219

**OHIO/WESTERN PA/
WNY&CNY**
(330) 927-4000

UNILOCK.COM | 1-800-UNILOCK

©2020 Hengestone Holdings, Inc.